

APPENDIX M

Huxley West - Stream Sediments

Sample No.	-80# Total Extraction						-80# Cold Extraction					
	Cu	Pb	Zn	Mn	Co	Fe%	Cu	Pb	Zn	Mn	Co	Fe%
21101	40	40	30	290	-	1.9	20	20	-	100	-	0.5
21102	20	30	30	220	-	1.3	20	20	-	20	-	-
21103	50	70	20	800	10	1.1	40	30	-	380	-	0.4
21104	60	80	40	830	10	2.1	30	60	10	400	-	0.4
21105	130	100	120	1290	50	2.2	80	70	60	600	10	0.4
21106	90	50	70	750	50	4.8	50	30	10	190	-	0.3
21107	60	60	120	1570	60	2.2	40	50	70	650	10	0.6
21108	30	20	10	90	-	0.7	20	20	-	30	-	0.2
21109	30	30	30	410	10	1.8	20	20	-	170	-	0.3
21110	80	80	90	1070	50	3.5	30	60	30	480	10	0.4
21111	90	60	80	1480	40	3.1	60	40	20	670	10	0.3
21112	140	180	300	3400	110	3.1	100	130	170	1400	30	0.6
21113	40	40	60	350	-	3.4	20	40	20	40	-	0.9
21114	60	50	40	170	-	2.7	40	50	30	70	-	1.1
21115	50	40	20	30	-	0.6	20	10	-	-	-	0.2
21116	60	80	40	680	-	1.4	50	60	30	310	-	0.4
21117	50	50	20	60	-	0.9	40	30	-	10	-	0.2
21118	80	120	30	370	-	1.2	70	80	10	190	-	0.3
21119	40	40	20	110	-	0.9	30	30	10	30	-	0.3
21120	30	20	-	10	-	0.1	30	10	-	-	-	0.1
21121	50	30	-	10	-	0.3	40	20	-	-	-	0.1
21122	50	40	20	80	-	0.6	40	30	10	40	-	0.2
21123	80	110	60	720	10	1.8	60	70	30	340	-	0.4
21124	50	40	20	140	-	0.6	40	30	-	80	-	0.2
21125	80	70	20	50	-	1.1	60	40	10	20	-	0.5
21126	60	60	40	70	-	0.9	40	30	20	30	-	0.3
21127	NOT ASSAYED						NOT ASSAYED					
21128	60	60	30	130	-	0.8	50	50	10	60	-	0.3
21129	20	30	10	250	-	0.7	10	20	-	150	-	0.3
21130	60	80	30	980	10	1.4	60	80	10	570	-	0.5
21131	70	70	60	1400	40	2.8	40	60	20	690	10	0.5
21132	90	70	30	50	-	1.8	70	50	-	20	-	0.5

Detection
Limit

10 10 10 10 10 0.1 10 10 10 10 10 0.1