


Rock Chip - assays - (p.p.m.)

No.	Type	Location	Cu	Pb	Zn	Mn	S%	Fire assay	
								Ag	Au
27809 *	Qtz. vein	Adit 3	40	60	10	40	-	0.8	2.0
27810 *	Q.F.P.	"	40	40	20	10	-	1.4	0.2
27823	"	Trench 1	50	20	-	-	-	0.6	0.3
27824	Qtz. vein	"	20	10	-	-	-	1.9	0.3
27825	Q.F.P.	Adit 1	-	30	-	-	-	-	-
27826	"	"	10	30	-	-	-	-	-
27827	"	"	10	20	-	-	-	-	-
27828	"	"	10	10	-	-	-	-	-
27829	"	Adit 2	-	100	-	-	-	-	-
27830	"	"	-	40	-	-	-	-	-
27831	"	"	-	70	-	-	-	-	-
27832	Qtz. vein	"	-	90	-	-	-	-	-
27833	Q.F.P.	"	-	70	-	-	-	0.1	0.2
27834	x.l. tuff	S. of Fault	60	20	90	250	-	-	-
27835	Q.F.P.	Trench 2	20	30	-	-	-	0.2	0.4
27836	Qtz. vein	W. of Trench 1	50	2500	300	30	139	0.8	-
Detection Limit			10	10	10	10	0.1	0.1	0.1

LEGEND

- Trench
- Adit
- Quartz vein
- Dump

Strike readings are given relative to Grid North.



THE MOUNT LYELL MINING & RAILWAY COMPANY LTD.

83-2029 Henty-Yolande
Diamond Hill Workings

Geology and Rock Chip Geochemistry

SCALE 1:500
DATE MAY 1982

DRAWN BY P.K.
DRAFTSMAN T.G.D.S.



REVISIONS

FIG. 59
A3-230