

068

- 5.6 SOUTHERN AREAS: VOYAGER 9
- VOYAGER 24
- VOYAGER 30

The gridded area south of line 10000N and embracing the Voyager 9, Voyager 24 and Voyager 30 areas was systematically covered by Dipole IP survey, ground magnetic survey, C-Horizon geochemical sampling and geological mapping.

5.6.1. Geology

5.6.1.1. Voyager 24-Voyager 30

Geological mapping of the Voyager 24 and Voyager 30 areas was carried out by R.J. Perring in an attempt to enhance the geological interpretation (previously reported in Wilson et al, 1981, 1982) and to determine if the source of the extensive gold drainage anomaly\* could be attributed to any particular lithology or 'stratigraphic' level.

The geological observations and interpretation are presented on Plan No's: 14, 16, 18.

5.6.1.2. Geology of the Central Part of the Wart Hill Pyroclastics Centred Around Voyager 9 (contributed by P.A. Wilson)  
(Refer to Plan No's: 14, 15, 16, 17, 19)

As part of the exploration program over the Wart Hill Pyroclastics a broad grid measuring 3km (N-S) by 2.2km (E-W) was surveyed south of the V19-V29-V22 10000N base line. The grid extends to the east of line 9800E which is the line of demarcation separating this area from the V24 and V30 grids. Voyager 9 occurs in the central part of the new grid.

\* (See also Wilson et al, 1981, 1982)