

CONSULTING CHEMISTS & ANALYSTS

OFFICE & LABORATORY  
 P.O. BOX 66  
 EVERTON PARK QLD 4053  
 Ph 07 3525577  
 TELEX ALSEV 42344

LABORATORY REPORT

Batch No.: E006 Client: GEOPEKO LIMITED, Area Contact: DR. ROSS LARGE.  
 Address: P.O. BOX 217, Address: P.O. BOX 598,  
 Date Received 04/05/83 GORDON, DEVONPORT TAS. 7310  
 Date Completed 10/05/83 N.S.W. 2072


Order No.: K 621, KP 2989 Sample Type: SOILS No. of Samples: 266

Customer's Name

| SAMPLE NO. | Cu   | Pb   | Zn    | Ag   | Fe   | ELEMENTS<br>UNITS<br>METHODS |
|------------|------|------|-------|------|------|------------------------------|
|            | m    | m    | m     | m    | %    |                              |
|            | G001 | G001 | G001  | G001 | G001 |                              |
| TS 18580   | 30   | 145  | 230   | 1    | 0.60 |                              |
| TS 18581   | <2   | 35   | 10    | <1   | 0.20 |                              |
| TS 18582   | <2   | 20   | 10    | <1   | 0.35 |                              |
| TS 18583   | <2   | 45   | 40    | 1    | 1.34 |                              |
| TS 18584   | 60   | 0.16 | % 600 | 1    | 0.97 |                              |
| TS 18585   | <2   | 370  | 10    | <1   | 0.45 |                              |
| TS 18586   | 20   | 150  | 660   | <1   | 0.18 |                              |
| TS 22747   | 10   | 20   | 130   | 1    | 0.10 |                              |
| TS 22748   | <2   | 60   | 170   | <1   | 0.17 |                              |
| TS 22749   | 10   | 310  | 720   | 1    | 0.41 |                              |
| TS 22750   | <2   | 95   | 170   | <1   | 0.26 |                              |
| TS 22751   | 10   | 320  | 245   | 1    | 0.21 |                              |
| TS 22752   | <2   | 165  | 500   | 1    | 0.24 |                              |
| TS 22753   | <2   | 200  | 105   | <1   | 0.30 |                              |
| TS 22754   | 10   | 100  | 30    | 1    | 0.27 |                              |
| TS 22755   | <2   | 260  | 160   | <1   | 0.18 |                              |
| TS 22756   | 20   | 270  | 65    | 1    | 0.15 |                              |
| TS 22757   | <2   | 55   | 60    | <1   | 0.17 |                              |
| TS 22758   | <2   | 55   | 95    | <1   | 0.23 |                              |
| TS 22759   | <2   | 45   | 130   | <1   | 0.19 |                              |
| TS 22760   | <2   | 120  | 140   | <1   | 0.22 |                              |
| TS 22761   | 30   | 370  | 100   | <1   | 0.26 |                              |
| TS 22762   | 10   | 840  | 375   | <1   | 0.57 |                              |
| TS 22763   | <2   | 45   | 20    | <1   | 0.29 |                              |
| TS 22764   | <2   | 65   | 40    | <1   | 0.22 |                              |
| TS 22765   | 20   | 220  | 25    | 1    | 0.21 |                              |
| TS 22766   | 40   | 680  | 55    | 1    | 0.14 |                              |
| TS 22767   | 20   | 320  | 175   | 1    | 0.20 |                              |
| TS 22768   | 10   | 320  | 320   | <1   | 0.33 |                              |
| TS 22769   | 10   | 145  | 155   | 1    | 0.30 |                              |

UNITS LEGEND ----- m - Parts per million b - Parts per billion % - percent  
 g - Grams a - Absorbance

Signature: *[Handwritten Signature]*



478261