

ANALABS

A division of MacDonald Hamilton & Co. Pty. Ltd.

418328

ANALYTICAL DATA

SAMPLE PREFIX

REPORT NUMBER

REPORT DATE

CLIENT ORDER No.

PAGE

		29.5 08 2285				12.1.84		4015		2 OF 7	
TUBE No.	SAMPLE No.	Cu	Pb	Zn	Ag	Fe	Mn	Cr	As	Sn	
1	03626	30	15	75	X	7.15%	245	90	X	X	
2	03627	100	10	120	X	7.95%	1000	65	X	X	
3	03628	255	270	140	0.5	7.70%	1500	80	X	X	
4	03629	130	650	965	1.0	8.25%	2400	30	X	X	
5	03630	220	75	180	0.5	9.25%	4550	55	X	X	
6	03631	45	20	70	X	5.00%	400	55	X	X	
7	03632	50	25	55	0.5	4.05%	155	35	X	X	
8	03633	30	35	40	X	4.45%	135	35	X	X	
9	03634	35	15	40	0.5	5.15%	125	35	X	X	
10	03635	55	20	40	X	7.05%	185	55	X	X	
11	03636	60	15	60	0.5	8.55%	365	60	200	X	
12	03637	65	10	50	X	8.10%	140	55	X	4	
13	03638	45	10	60	0.5	5.75%	565	40	X	5	
14	03639	75	15	60	0.5	9.30%	235	65	X	X	
15	03640	120	20	95	0.5	8.60%	510	60	X	X	
16	03641	190	30	135	X	9.25%	1800	115	X	3	
17	03642	100	25	125	0.5	7.15%	835	80	X	3	
18	03643	100	55	125	0.5	7.05%	445	95	X	5	
19	03644	90	55	70	0.5	7.65%	870	100	X	NES	
20	03645	50	25	45	0.5	2.40%	120	40	X	4	
21	03646	35	35	40	X	3.20%	80	60	X	X	
22	03647	5	20	10	X	7050	15	40	X	X	
23	03648	5	20	5	X	5900	X	20	X	X	
24	03649	20	20	65	X	4.95%	215	65	X	X	
25	03650	5	5	10	X	6150	10	30	X	X	

Results in ppm unless otherwise specified

T = element present; but concentration too low to measure

X = element concentration is below detection limit

— = element not determined

AUTHORISED OFFICER

[Signature]