

ANALABS

A division of MacDonal Hamilton & Co. Pty. Ltd.

418331

ANALYTICAL DATA

SAMPLE PREFIX

REPORT NUMBER

REPORT DATE

CLIENT ORDER No.

PAGE

29.5 00 2285

12.1.84

4815

5 OF 7

TUBE No.	SAMPLE No.	Cu	Pb	Zn	Hg	Fe	Mn	Cr	As	Sn
1	03722	25	25	40	X	2.10%	135	60	X	4
2	03723	5	15	15	X	8500	45	40	X	X
3	03724	55	15	50	X	5.10%	140	45	X	X
4	03725	40	10	40	X	4.40%	255	25	X	3
5	03726	35	10	120	X	8.80%	190	75	500	4
6	03727	60	40	45	X	4.50%	70	75	300	X
7	03728	20	25	20	X	4850	35	40	X	X
8	03729	15	5	25	X	1.55%	80	30	300	X
9	03730	40	15	20	X	4.55%	50	40	300	3
10	03731	105	25	60	X	7.15%	125	45	200	5
11	03732	70	10	65	X	5.50%	185	60	X	3
12	03733	35	10	80	X	6.05%	235	80	X	X
13	03734	80	15	120	X	6.15%	660	20	X	5
14	03735	20	25	30	X	1.25%	90	40	X	X
15	03736	5	10	70	X	4.85%	175	40	300	X
16	03737	20	25	20	X	5350	60	15	X	X
17	03738	X	10	25	X	2.40%	100	20	X	3
18	03739	95	200	165	X	5.60%	430	50	X	X
19	03740	15	20	25	X	8550	100	25	X	X
20	03741	30	30	90	X	6.30%	425	65	X	4
21	03742	35	25	100	X	2.70%	345	40	X	X
22	03743	95	25	85	X	2.95%	500	30	X	X
23	03744	15	20	25	X	1.00%	150	35	X	X
24	03745	20	15	45	X	5.25%	300	40	X	X
25	03746	15	10	35	X	2.65%	160	35	X	X

Results in ppm unless otherwise specified

T = element present; but concentration too low to measure

X = element concentration is below detection limit

— = element not determined

AUTHORISED OFFICER

