

ANALABS

A division of MacDonald Hamilton & Co. Pty. Ltd.

418332

ANALYTICAL DATA

SAMPLE PREFIX

REPORT NUMBER

REPORT DATE

CLIENT ORDER No.

PAGE

		29.5 08 2285				12.1.84	4015			6 OF 7	
TUBE No.	SAMPLE No.	Cu	Pb	Zn	Ag	Fe	Mn	Cr	As	Sn	
1	03747	20	10	50	X	3.35%	170	30	X	X	
2	03748	45	50	55	X	4.95%	185	30	X	X	
3	03749	60	40	80	X	6.40%	215	60	X	4	
4	03750	90	15	95	X	10.0%	425	50	X	5	
5	03751	40	15	90	X	6.10%	525	85	X	X	
6	03752	20	35	30	X	2.10%	90	65	X	X	
7	03753	95	50	100	X	5.50%	840	55	X	X	
8	03754	45	25	80	X	7.50%	275	75	X	X	
9	03755	30	30	65	X	6.90%	270	75	X	X	
10	03756	160	35	105	X	8.20%	730	70	X	3	
11	03757	35	25	50	X	5.40%	200	55	X	4	
12	03758	35	30	55	X	5.70%	380	60	X	X	
13	03759	100	35	95	X	9.75%	1.25%	80	X	X	
14	03760	60	55	75	X	4.10%	5400	60	X	X	
15	03761	175	40	130	X	9.70%	2400	65	X	3	
16	03762	40	35	115	X	6.10%	3000	70	X	X	
17	03763	35	60	125	X	5.85%	1.25%	60	X	X	
18	03764	20	50	60	X	2.45%	2350	40	X	X	
19	03765	30	40	100	X	4.45%	530	45	X	X	
20	03766	115	20	180	X	10.0%	550	90	X	3	
21	03767	40	45	115	X	4.65%	1150	45	X	3	
22	03768	35	65	50	X	3.70%	135	60	X	X	
23	03769	45	25	100	X	8.95%	295	100	X	X	
24	03770	15	15	45	X	5.50%	90	70	X	4	
25	03771	50	30	95	X	4.45%	380	40	X	X	

Results in ppm unless otherwise specified
 T = element present; but concentration too low to measure
 X = element concentration is below detection limit
 — = element not determined

AUTHORISED OFFICER

Alfmonyk