

| HOLE            | SEQU.    | FROM-TO(m)            | COAL SEAM INTERSECTIONS                                       |  |                                      |   |
|-----------------|----------|-----------------------|---|--|--------------------------------------|---|
|                 |          |                       | Significant ( $\geq 2.0$ )                                    | Major (1.0-2.0m)                                     | Medium(0.5-1.0m)                     | Minor (<0.5m)   |
| <u>EL 18/82</u> |          |                       |   |  |                                      |   |
| 0-03A           | 1        | 2.2-48.0              | { $\approx 3.2-5.3(\ll 2.1)$<br>$\approx 37.3-40.5 (\ll 3.2)$ | -  | -                                    | -   |
| 0-03B           | 1        | 1.2-53.4              | -   | $\approx 34.5-36.0 (\ll 1.5)$                        | -                                    | (?31.0-33.6 -?several)                                |
| 0-06            | 1        | 1.0-46.1              | { -   | 10.8-12.2(1.4),<br>27.4-28.8(1.4),<br>32.4-33.4(1.0) | -                                    | 9.8-10.2 (0.4)  |
| <u>EL 19/82</u> |          |                       |   |  |                                      |   |
| KP-01           | 2        | 15.6-60.0             | { -   | 47.28-48.50(1.22)                                    | 30.08-30.58(0.5)<br>34.24-34.74(0.5) | 37.86-38.16(0.3)<br>46.32-46.45(0.13)                 |
| KP-02           | { 2<br>3 | 1.0-23.0<br>23.0-50.0 | { -<br>-  | 11.42-12.95(1.53)                                    | 21.0-21.5(0.5)                       | 10.26-10.62(0.36),<br>13.84-13.98(0.14)               |
| KP-03           | 3        | 2.0-50.0              | { -   | -  | -                                    | 17.2-17.6(0.4),<br>23.0-23.3(0.3),<br>24.4-24.6(0.2). |
| KP-04           | 7        | 5.0-48.0              | -   | -  | -                                    | -   |
| KP-05           | { 1<br>2 | 0-24.5<br>24.5-60.0   | { -<br>-  | $\approx 46.0-47.0(\ll 1.0)$                         | (?47.0-51.0)                         | -   |