

COAL SEAM CORRELATION IN SEQUENCE 1.

SEAM	Ave. Width (m)	GROSS COAL SEAM INTERVALS IN DRILL HOLES (depth in m)							
		JC-02	JC-04	JC-06	JC-07	JC-08	PT-04A	PT-05	PT-06
<u>PETHEURTON - ANSTEY - JERICHO</u>									
F	0.6	-	-	-	-	7.50-8.12 (0.62)	-	-	-
E	1.7	-	-	-	-	19.75-22.24 (2.49)	6.80-7.80 (1.0)	-	-
D	2.0	-	-	-	-	28.14-31.59 (2.83)	16.30-18.40 (1.3)	9.03-12.22 (1.57)	11.14-13.40 (2.26)
C	1.4	-	-	-	-	32.90-33.42 (0.52)	20.0-23.5	14.75-17.00 (2.25)	14.00-15.50 (1.5)
B	0.5	28.9-29.5 (0.6)	-	26.20-26.60 (0.4)	21.20-21.80 (0.6)	43.80-44.40 (0.6)	-	-	33.10-33.60 (0.5)
A	1.2	46.0-46.75 (1.5)	3.5-5.0 (1.5)	45.20-46.52 (1.32)	38.45-39.77 (1.32)	-	-	-	49.20-49.80 (0.6)

<u>COLEBROOK</u>									
		0-09	Tasma Bore	C0-02	C0-11	KP-07	*Carbonaceous Mudstone		
N	1.1	26.5-27.8 (1.3)	29.2-30.1 (0.9)	(14.3-17.1)*	16.1-17.4 (1.3)	12.68-13.42 (0.74)			
M	1.0	44.1-45.1 (1.0)	44.8-46.3 (1.5)	{		32.02-32.40 (0.38)			
L	0.7	47.4-48.1 (0.7)	48.8-49.7 (0.9)			34.30-34.76 (0.46)			

347047

TABLE 6 (9)