

# GETTY OIL DEVELOPMENT COMPANY LTD.

089

## DIAMOND DRILL CORE RECOVERY DATA

PROSPECT: CUTTY SARK

HOLE No. CS2.

Page 8.

DRILL INTERVAL			CORE RECEIVED		DRILL INTERVAL			CORE RECEIVED		DRILL INTERVAL			CORE RECEIVED		DRILL INTERVAL			CORE RECEIVED	
From	To	Metres	Metres	%	From	To	Metres	Metres	%	From	To	Metres	Metres	%	From	To	Metres	Metres	%
0	3.0	3.0	0.5	17	112.0	115.0	3.0	3.0	100	220.0	223.0	3.0	3.0	100	331.0	334.0	3.0	3.0	100
3.0	4.0	1.0	1.0	100	115.0	118.0	3.0	2.8	93	223.0	226.0	3.0	2.8	93	334.0	337.0	3.0	3.0	100
4.0	10.0	6.0	5.7	95	118.0	121.0	3.0	2.7	90	226.0	229.0	3.0	3.0	100	337.0	340.0	3.0	3.0	100
10.0	13.0	3.0	2.4	80	121.0	123.5	2.5	2.4	96	229.0	232.0	3.0	2.8	93	340.0	343.0	3.0	3.0	100
13.0	16.0	3.0	2.3	77	123.5	124.0	0.5	0.5	100	232.0	235.0	3.0	2.9	97	343.0	346.0	3.0	3.0	100
16.0	19.0	3.0	2.5	83	124.0	127.0	3.0	2.4	80	235.0	238.0	3.0	3.0	100	346.0	349.0	3.0	2.9	97
19.0	25.0	6.0	6.1	102	127.0	130.0	3.0	2.7	90	238.0	241.0	3.0	3.0	100	349.0	350.0	1.0	1.1	110
25.0	27.0	2.0	1.8	90	130.0	133.0	3.0	2.7	90	241.0	244.0	3.0	3.0	100	350.0	352.0	2.0	1.9	95
27.0	28.0	1.0	0.9	90	133.0	136.0	3.0	3.0	100	244.0	247.0	3.0	3.0	100	352.0	355.0	3.0	3.0	100
28.0	31.0	3.0	1.3	43	136.0	139.0	3.0	3.0	100	247.0	250.0	3.0	2.9	97	355.0	358.0	3.0	3.0	100
31.0	34.0	3.0	2.9	97	139.0	142.0	3.0	3.1	103	250.0	253.0	3.0	3.0	100	358.0	361.0	3.0	3.0	100
34.0	37.0	3.0	3.0	100	142.0	145.0	3.0	3.0	100	253.0	256.0	3.0	3.0	100	361.0	364.0	3.0	3.0	100
37.0	40.0	3.0	3.0	100	145.0	148.0	3.0	3.1	103	256.0	259.0	3.0	3.0	100	364.0	367.0	3.0	3.0	100
40.0	43.0	3.0	3.0	100	148.0	151.0	3.0	3.1	103	259.0	262.0	3.0	3.0	100	367.0	370.0	3.0	3.0	100
43.0	46.0	3.0	2.9	97	151.0	154.0	3.0	3.0	100	262.0	265.0	3.0	2.9	97	370.0	373.0	3.0	2.8	93
46.0	49.0	3.0	2.6	87	154.0	157.0	3.0	3.0	100	265.0	268.0	3.0	3.0	100	373.0	376.0	3.0	3.0	100
49.0	52.0	3.0	3.0	100	157.0	160.0	3.0	3.0	100	268.0	271.0	3.0	2.9	97	376.0	379.0	3.0	3.0	100
52.0	55.0	3.0	3.0	100	160.0	163.0	3.0	2.9	97	271.0	274.0	3.0	2.9	97	379.0	382.0	3.0	3.0	100
55.0	58.0	3.0	3.0	100	163.0	166.0	3.0	2.5	83	274.0	277.0	3.0	3.0	100	382.0	385.0	3.0	3.0	100
58.0	61.0	3.0	2.5	83	166.0	169.0	3.0	2.5	83	277.0	280.0	3.0	3.0	100	385.0	388.0	3.0	3.0	100
61.0	64.0	3.0	2.8	93	169.0	172.0	3.0	2.6	87	280.0	283.0	3.0	3.0	100	388.0	391.0	3.0	3.0	100
64.0	67.0	3.0	3.0	100	172.0	175.0	3.0	2.8	93	283.0	286.0	3.0	3.0	100	391.0	394.0	3.0	3.0	100
67.0	70.0	3.0	3.1	103	175.0	178.0	3.0	3.0	100	286.0	289.0	3.0	3.0	100	394.0	397.0	3.0	3.0	100
70.0	73.0	3.0	3.0	100	178.0	181.0	3.0	3.0	100	289.0	292.0	3.0	3.0	100					
73.0	76.0	3.0	3.1	103	181.0	184.0	3.0	3.0	100	292.0	295.0	3.0	3.0	100					
76.0	79.0	3.0	3.0	100	184.0	187.0	3.0	2.9	97	295.0	298.0	3.0	2.9	97					
79.0	82.0	3.0	2.9	97	187.0	190.0	3.0	2.9	97	298.0	301.0	3.0	3.0	100					
82.0	85.0	3.0	3.1	103	190.0	193.0	3.0	3.2	107	301.0	304.0	3.0	3.0	100					
85.0	88.0	3.0	2.9	97	193.0	196.0	3.0	3.0	100	304.0	307.0	3.0	3.0	100					
88.0	91.0	3.0	3.0	100	196.0	199.0	3.0	3.0	100	307.0	310.0	3.0	3.0	100					
91.0	94.0	3.0	3.0	100	199.0	202.0	3.0	3.0	100	310.0	313.0	3.0	3.0	100					
94.0	97.0	3.0	3.1	103	202.0	205.0	3.0	2.8	93	313.0	316.0	3.0	2.9	97					
97.0	100.0	3.0	2.8	93	205.0	208.0	3.0	2.3	77	316.0	319.0	3.0	3.0	100					
100.0	103.0	3.0	2.9	97	208.0	211.0	3.0	2.4	80	319.0	322.0	3.0	3.0	100					
103.0	106.0	3.0	3.0	100	211.0	214.0	3.0	3.0	100	322.0	325.0	3.0	3.0	100					
106.0	109.0	3.0	2.9	97	214.0	217.0	3.0	3.0	100	325.0	328.0	3.0	3.0	100					
109.9	112.0	3.0	2.9	97	217.0	220.0	3.0	3.0	100	328.0	331.0	3.0	3.0	100					

E.O.H.

251091