

462

ELECTROLYTIC ZINC COMPANY OF A'ASIA LTD. MINERAL RESOURCES DIVISION - TASMANIA						DIAMOND DRILL CORE GEOCHEMICAL ANALYSES RECORD										HOLE No. <u>CHP 264</u>				
LABORATORY ANALYTICAL TECHNIQUE DETECTION LIMIT						ANALABS										GRID CO-ORDS: A.M.G. CO-ORDS: COLLAR R.L.: COLLAR DIP: AZIMUTH: TOTAL DEPTH:				
						402	401	309	108	402	108	114	108	108	108			108	108	108
						XRF	XRF	AAS	AAS	XRF	AAS	AAS	AAS	AAS	AAS			AAS	AAS	AAS
						3	10	0.008	0.5	3	10	1	5	5	5	50	5	5		
Sample No.	Sample Type	From	To	Core Rec'd	Sample Length	METAL CONTENT (ppm unless specified)													COMMENTS	
						Sn	W	Au	Ag	Sb	Bi	As	Cu	Pb	Zn	Fe%	Mn	Cr		
63100	Chip	10.0	13.0	1.8	3.0	X	X	X	0.5	6	X	6	125	X	100	6.20	2750	135		
101	"	13.0	16.0	3.0	3.0	X	X	X	0.5	X	X	1	65	X	95	5.10	1500	100		
102	"	16.0	19.3	3.3	3.3	X	X	X	0.5	7	X	2	65	X	100	5.25	1350	90		
103	"	19.3	21.9	2.6	2.6	X	X	X	X	X	X	6	100	X	50	4.15	275	45		
104	"	21.9	23.5	1.6	1.6	X	X	X	0.5	5	X	10	105	X	95	7.05	1700	50		
105	"	23.5	25.3	1.8	1.8	X	X	X	0.5	4	X	15	80	5	90	6.70	1300	190		
106	"	25.3	27.1	1.8	1.8	2	12	X	X	3	X	9	20	X	55	2.70	765	110		
107	"	27.1	29.1	2.0	2.0	X	12	X	X	X	X	5	90	X	80	5.40	1.10%	125		
108	"	29.1	32.0	2.9	2.9	3	18	X	X	6	X	15	55	X	55	4.95	390	35		
109	"	32.0	35.0	1.1	3.0	X	X	X	X	5	X	3	140	X	55	4.95	600	260		
63110	"	35.0	36.1	0.7	1.1	X	X	X	X	X	X	3	330	X	90	8.90	210	475		
111	"	36.1	38.7	1.4	2.6	2	X	X	X	30	X	19	300	X	80	8.60	2750	200		
112	"	38.7	40.7	1.3	2.0	X	10	X	X	11	X	7	80	X	125	10.50	860	200		
113	"	40.7	43.0	1.0	2.3	X	X	X	0.5	14	X	13	75	X	80	7.45	915	250		
114	"	43.0	45.1	1.4	2.1	X	X	X	X	X	X	8	50	X	45	5.85	1300	115		
115	"	45.1	46.8	1.15	1.7	X	X	X	X	37	X	60	90	X	105	12.00	8050	590		
116	"	46.8	49.6	2.8	2.8	X	X	X	X	3	X	6	70	X	80	9.60	770	310		
117	"	49.6	53.7	1.3	4.1	X	20	X	X	4	X	12	60	5	100	18.00	2050	220		
118	"	53.7	55.0	1.0	1.3	X	X	X	X	X	X	7	45	X	55	5.10	1700	140		
119	"	55.0	56.6	1.1	1.6	X	X	X	X	X	X	19	20	5	130	9.55	8250	3100	Fuchsite breccia.	
63120	"	56.6	58.0	1.2	1.4	X	X	X	X	X	X	29	35	X	75	14.00	5150	285		
121	"	58.0	59.7	1.6	1.7	X	11	X	X	6	X	31	10	20	80	11.00	4450	30		
122	"	59.7	62.0	2.2	2.3	X	16	X	X	7	X	32	80	20	75	9.00	2600	45		
123	"	62.0	65.0	2.6	3.0	X	X	X	X	X	X	59	40	20	55	3.90	685	165		
124	"	65.0	67.7	2.6	2.7	X	X	X	X	X	X	28	100	25	110	7.50	1700	275		
125	"	67.7	69.8	2.0	2.1	X	X	X	X	4	X	9	165	20	85	5.60	1800	220		
126	"	69.8	72.7	2.7	2.9	X	X	X	X	X	X	1	80	20	80	5.05	965	200		
127	"	72.7	74.5	1.7	1.8	X	12	X	X	3	X	1	40	20	80	4.65	880	50		
128	"	74.5	76.3	1.8	1.8	X	11	X	X	X	X	1	60	15	100	5.00	640	50		
129	"	76.3	79.3	3.0	3.0	X	X	X	X	X	X	1	45	10	80	4.65	595	40		
63130	"	79.3	82.1	2.8	2.8	X	X	X	X	X	X	X	55	10	80	4.80	820	50		
131	"	82.1	84.5	2.0	2.4	X	X	X	X	X	X	2	20	10	30	1.60	385	90		
132	"	84.5	87.4	1.7	2.9	X	X	X	X	X	X	2	35	15	55	3.30	615	140		
133	"	87.4	88.4	1.0	1.0	X	X	X	X	X	X	2	30	15	45	3.95	1000	75		
134	"	88.4	91.4	3.0	3.0	X	X	X	X	X	X	2	20	15	70	3.55	635	130		
135	"	91.4	93.7	2.3	2.3	X	X	X	X	3	X	4	105	20	75	4.05	1050	75		
136	"	93.7	95.2	1.5	1.5	X	X	X	0.5	7	X	18	35	45	110	4.90	1450	425		
137	"	95.2	97.4	2.2	2.2	X	X	X	X	X	X	6	30	30	100	5.40	1900	150		
138	"	97.4	100.5	3.1	3.1	X	X	X	1.0	26	X	28	90	120	325	3.10	1650	60		
139	"	100.5	103.5	3.0	3.0	X	X	X	1.5	15	X	36	75	125	95	3.00	1550	40		
63140	"	103.5	106.6	3.1	3.1	X	X	X	1.5	10	X	31	60	115	75	3.15	1650	35		
141	"	106.6	108.0	1.4	1.4	X	X	X	1.0	9	X	19	35	55	60	4.35	1750	80		
142	"	108.0	111.0	3.0	3.0	X	11	X	0.5	13	X	28	75	65	65	3.35	1800	30		
143	"	111.0	114.0	3.0	3.0	X	12	X	X	9	X	53	75	60	75	4.15	2050	70		

251462