

ELECTROLYTIC ZINC COMPANY OF A'ASIA LTD. MINERAL RESOURCES DIVISION - TASMANIA					DIAMOND DRILL CORE GEOCHEMICAL ANALYSES RECORD										HOLE No. <u>CHP 264</u>					
LABORATORY ANALYTICAL TECHNIQUE DETECTION LIMIT					ANALABS										GRID CO-ORDS: A.M.G. CO-ORDS: 5,371,806mN 376,443mE					
					402	401	309	108	402	108	114	108	108	108	108	108	108	108	108	108
					XRF	XRF	AAS	AAS	XRF	AAS	AAS	AAS	AAS	AAS	AAS	AAS	AAS	AAS	AAS	AAS
					3	10	0.008	0.5	3	10	1	5	5	5	50	5	5	AZIMUTH: 270° AMG		
					METAL CONTENT (ppm unless specified)										TOTAL DEPTH: 258.1m					
Sample No.	Sample Type	From	To	Core Rec'd	Sample Length	Sn	W	Au	Ag	Sb	Bi	As	Cu	Pb	Zn	Fe%	Mn	Cr	COMMENTS	
63100	Chip	10.0	13.0	1.8	3.0	X	X	X	0.5	6	X	6	125	X	100	6.20	2750	135		Fuchsite breccia.
101	"	13.0	16.0	3.0	3.0	X	X	X	0.5	X	X	1	65	X	95	5.10	1500	100		
102	"	16.0	19.3	3.3	3.3	X	X	X	0.5	7	X	2	65	X	100	5.25	1350	90		
103	"	19.3	21.9	2.6	2.6	X	X	X	X	X	X	6	100	X	50	4.15	275	45		
104	"	21.9	23.5	1.6	1.6	X	X	X	0.5	5	X	10	105	X	95	7.05	1700	50		
105	"	23.5	25.3	1.8	1.8	X	X	X	0.5	4	X	15	80	5	90	6.70	1300	190		
106	"	25.3	27.1	1.8	1.8	2	12	X	X	3	X	9	20	X	55	2.70	765	110		
107	"	27.1	29.1	2.0	2.0	X	12	X	X	X	X	5	90	X	80	5.40	1.10%	125		
108	"	29.1	32.0	2.9	2.9	3	18	X	X	6	X	15	55	X	55	4.95	390	35		
109	"	32.0	35.0	1.1	3.0	X	X	X	X	5	X	3	140	X	55	4.95	600	260		
63110	"	35.0	36.1	0.7	1.1	X	X	X	X	X	X	3	330	X	90	8.90	210	475		
111	"	36.1	38.7	1.4	2.6	2	X	X	X	30	X	19	300	X	80	8.60	2750	200		
112	"	38.7	40.7	1.3	2.0	X	10	X	X	11	X	7	80	X	125	10.50	860	200		
113	"	40.7	43.0	1.0	2.3	X	X	X	0.5	14	X	13	75	X	80	7.45	915	250		
114	"	43.0	45.1	1.4	2.1	X	X	X	X	X	X	8	50	X	45	5.85	1300	115		
115	"	45.1	46.8	1.15	1.7	X	X	X	X	37	X	60	90	X	105	12.00	8050	590		
116	"	46.8	49.6	2.8	2.8	X	X	X	X	3	X	6	70	X	80	9.60	770	310		
117	"	49.6	53.7	1.3	4.1	X	20	X	X	4	X	12	60	5	100	18.00	2050	220		
118	"	53.7	55.0	1.0	1.3	X	X	X	X	X	X	7	45	X	55	5.10	1700	140		
119	"	55.0	56.6	1.1	1.6	X	X	X	X	X	X	19	20	5	130	9.55	8250	3100		
63120	"	56.6	58.0	1.2	1.4	X	X	X	X	X	X	29	35	X	75	14.00	5150	285		
121	"	58.0	59.7	1.6	1.7	X	11	X	X	6	X	31	10	20	80	11.00	4450	30		
122	"	59.7	62.0	2.2	2.3	X	16	X	X	7	X	32	80	20	75	9.00	2600	45		
123	"	62.0	65.0	2.6	3.0	X	X	X	X	X	X	59	40	20	55	3.90	685	165		
124	"	65.0	67.7	2.6	2.7	X	X	X	X	X	X	28	100	25	110	7.50	1700	275		
125	"	67.7	69.8	2.0	2.1	X	X	X	X	4	X	9	165	20	85	5.60	1800	220		
126	"	69.8	72.7	2.7	2.9	X	X	X	X	X	X	1	80	20	80	5.05	965	200		
127	"	72.7	74.5	1.7	1.8	X	12	X	X	3	X	1	40	20	80	4.65	880	50		
128	"	74.5	76.3	1.8	1.8	X	11	X	X	X	X	1	60	15	100	5.00	640	50		
129	"	76.3	79.3	3.0	3.0	X	X	X	X	X	X	1	45	10	80	4.65	595	40		
63130	"	79.3	82.1	2.8	2.8	X	X	X	X	X	X	X	55	10	80	4.80	820	50		
131	"	82.1	84.5	2.0	2.4	X	X	X	X	X	X	2	20	10	30	1.60	385	90		
132	"	84.5	87.4	1.7	2.9	X	X	X	X	X	X	2	35	15	55	3.30	615	140		
133	"	87.4	88.4	1.0	1.0	X	X	X	X	X	X	2	30	15	45	3.95	1000	75		
134	"	88.4	91.4	3.0	3.0	X	X	X	X	X	X	2	20	15	70	3.55	635	130		
135	"	91.4	93.7	2.3	2.3	X	X	X	X	3	X	4	105	20	75	4.05	1050	75		
136	"	93.7	95.2	1.5	1.5	X	X	X	0.5	7	X	18	35	45	110	4.90	1450	425		
137	"	95.2	97.4	2.2	2.2	X	X	X	X	X	X	6	30	30	100	5.40	1900	150		
138	"	97.4	100.5	3.1	3.1	X	X	X	1.0	26	X	28	90	120	325	3.10	1650	60		
139	"	100.5	103.5	3.0	3.0	X	X	X	1.5	15	X	36	75	125	95	3.00	1550	40		
63140	"	103.5	106.6	3.1	3.1	X	X	X	1.5	10	X	31	60	115	75	3.15	1650	35		
141	"	106.6	108.0	1.4	1.4	X	X	X	1.0	9	X	19	35	55	60	4.35	1750	80		
142	"	108.0	111.0	3.0	3.0	X	11	X	0.5	13	X	28	75	65	65	3.35	1800	30		
143	"	111.0	114.0	3.0	3.0	X	12	X	X	9	X	53	75	60	75	4.15	2050	70		