

ANALABS

A Division of Inchcape Inspection and Testing Services Australia Pty. Ltd.

ANALYTICAL DATA

SAMPLE PREFIX		REPORT NUMBER				REPORT DATE	CLIENT ORDER No.			PAGE
		23.3.08.07171				10/07/90	10006			1 OF 6
TUBE No.	SAMPLE No.	Cu	Pb	Pb	Zn	Zn	Ag	Ag	Au	AuCh
1	562448	1005	--	4547	--	16200	--	22	0.681	0.61
2	562449	247	--	4538	5508	--	8.0	--	0.399	
3	562461	626	--	4626	6836	--	5.0	--	0.237	
4	562462	45	356	--	810	--	2.0	--	0.159	
5	562463	583	436	--	1740	--	2.5	--	0.205	
6	562464	422	--	3856	9625	--	7.0	--	0.342	
7	562466	1152	--	2221	--	9840	7.0	--	0.802	
8	562467	217	--	2900	8745	--	3.5	--	0.166	
9	562468	363	550	--	5294	--	4.0	--	0.370	
10	562469	42	39	--	148	--	1.5	--	0.135	
11	562470	45	49	--	292	--	1.0	--	0.135	
12	562471	159	1039	--	4198	--	2.5	--	0.192	
13	562472	267	291	--	1267	--	5.0	--	0.252	
14	562473	161	846	--	6944	--	3.0	--	0.189	
15	562474	804	--	13100	--	16300	12.0	--	0.237	
16	562475	261	567	--	1563	--	4.0	--	0.177	0.19
17	562476	278	738	--	3550	--	3.5	--	0.120	
18	562477	202	--	4202	6975	--	5.5	--	0.197	
19	562478	54	82	--	294	--	3.0	--	0.160	
20	562479	875	91	--	1913	--	5.0	--	0.187	
21	562480	1479	--	4508	--	23500	9.5	--	0.344	
22	562481	1712	--	10700	--	22500	11.0	--	0.398	
23	562482	207	92	--	186	--	3.5	--	0.298	
24	562483	22	19	--	160	--	3.0	--	0.069	
25	562484	51	42	--	232	--	2.0	--	0.020	

Results in ppm unless otherwise specified
 T = element present; but concentration too low to measure
 X = element concentration is below detection limit
 -- = element not determined

AUTHORISED
OFFICER

gentini