

ANALABS

A Division of Incharge Inspection and Testing Services Australia Pty Ltd.

ANALYTICAL DATA

SAMPLE PREFIX

REPORT NUMBER

REPORT DATE

CLIENT ORDER No.

PAGE

0552

23.3.08.07055

04/07/90

9819

2 OF 2

TUBE No.	SAMPLE No.	Cr	Zr	Ti	S	Rock Type			
1	431312	-	-	-	-	Yib			
2	562243	181	100	1715	0.025				
3	562244	175	85	1748	0.190				
4	562245	1050	70	2264	0.230				
5	562249	31	200	884	0.055				
6	562451	360	110	2550	0.010				
7	562452	348	120	2817	0.025				
8	562453	89	220	2549	0.240				
9	562454	22	190	2004	0.200				
10	562455	24	180	2045	1.100				
11	562456	19	190	1953	0.040				
12	562457	385	100	2476	0.055				
13	562458	59	140	925	0.080				
14	562459	79	140	2640	0.035				
15									
16									
17									
18									
19									
20									
21									
22									
23	DETECTION	5	5	50	0.005				
24	UNITS	ppm	ppm	ppm	%				
25	METHOD	401	401	401	613				

Results in ppm unless otherwise specified
 T = element present; but concentration too low to measure
 X = element concentration is below detection limit
 - = element not determined

AUTHORISED OFFICER

Jentari

654553