

919001

**OPEN FILE**

**MICROFILMED**  
FICHE No.013171 -

MINES		
FILE		
18 MAY 1984		
EXAM. FILE		
EXAM.	FOR ACTION	FOR INFO.
EL14/89	Folio 18	
EL 56/89	Folio 61	
EL 2/93	Folio 26	
EXAMINER	DATE	

RELINQUISHMENT AND ANNUAL REPORT TO 10 MAY, 1994

EL 14/89 CORINNA, EL 56/89 CORINNA SOUTH AND EL 2/93 PIEMAN RIVER

FOR: FODINA MINERALS PTY LTD  
LEVEL 3, 1 WALKER AVE, WEST PERTH, WA 6005

BY: ROGER POLTOCK, BELL ROAD, WILMOT, TAS 7310

*R Poltock*

**94-3566**

## CONTENTS

1. SUMMARY
2. INTRODUCTION
3. REGIONAL GEOLOGY
4. PREVIOUS EXPLORATION
5. WORK COMPLETED BY FODINA MINERALS MAY 1992 - APRIL 1993  
STREAM SEDIMENT GEOCHEMISTRY
6. EXPENDITURE SUMMARY CORINNA EL 14/89
7. EXPENDITURE SUMMARY CORINNA SOUTH EL 56/89
8. EXPENDITURE SUMMARY PIEMAN RIVER EL 2/93
9. CONCLUSIONS
10. REFERENCES

## FIGURES

1. Location map	1:100 000
2. Regional geology	1:250 000
3. Aeromagnetics	1: 50 000
4. Stream sediment sample locations	1: 25 000
5. Stream sediments Cu As Au	1: 25 000

## APPENDX

Analytical reports Stream sediment samples.

#### 1. SUMMARY

Aeromagnetic anomalies associated with ironstones and magnetite bearing metabasalts in the Arthur Metamorphic Complex have been evaluated with -80# and -16# BLEG stream sampling.

The stream anomalies generated are interpreted to be associated with high copper gold backgrounds in the magnetite bearing rock units rather than mineralized zones.

Further work is not warranted and ELs 14/89, 56/89 and 2/93 will be relinquished.

## 2. INTRODUCTION

ELs 14/89, 56/89 and 2/93 cover a section of the Arthur Metamorphic Complex (AMC) in western Tasmania (Fig 1 & 2). The licences form one geographical and geological coherent block and will be reported on as an amalgamated report.

This report details exploration for the period 1993 - 94 on all three of the licences, work included stream sediment sampling and reconnaissance geological traversing.


ELs 14/89 (45km ) and 56/89 (18km ) were granted to Outokumpu Exploration Australia (OEA) on the 26/5/89 and 6/4/89 respectively. Exploration was conducted by OEA until July 1st 1992 when management was transferred to Fodina Minerals Pty Ltd a wholly owned subsidiary of Mining Project Investors Pty Ltd.

An adjoining licence EL 2/93 to the west of 64km was granted to Fodina Minerals Pty Ltd on the 28/5/93. Work on the licence has been by Fodina.


The licences cover a 23km strike of the late Precambrian - eo-Cambrian, magnetite rich Bowry Formation within the Arthur Lineament between the Reece Dam in the south and Corinna Road in the north. Exploration objectives were to evaluate ironstones for Cu Au mineralization, the model similar to the Starra ironstones of the Mt Isa Inlier.

Access to the northern and southern parts of the tenements are via the Corinna Road, Lower Pieman Dam Road and the new Corinna track on the southern side of the Pieman River. The intervening section is relatively inaccessible and can only be effectively explored with helicopter support or by boat on the Pieman River.


The licences are within the extensive Henty Peneplain which has been deeply dissected by the Pieman, Owen Meredith, Paradise, Rocky and Whyte Rivers. Vegetation cover on the prospective units is primarily thick regrowth after the mid 1980's bush fires.



AUTHOR : R POLTOCK	SCALE :
DRAWN : O. HEDDITCH	DATE : 4/93
DRAWING No. 2	



Acknowledgement : Tasmanian Department of Mines  
Geological Atlas 1:250 000 series  
Burnie (SK 55-3) and Queenstown (SK 55-5)



<b>HOLOCENE</b>		Alluvium, sand, gravel and talus.
<b>PLEISTOCENE</b>		Till, fluvioglacial, periglacial and associated deposits
		Erosional surface.
<b>TERTIARY</b>		Non-marine sequences (light); marine limestone (dark); basalt and related igneous rock types (orange).
<b>TRIASSIC</b>		Low angle unconformity.
<b>PERMIAN</b>		Fluvio-lacustrine sequences of sandstone, siltstone, mudstone (light) with carbonaceous sequences indicated (dark).
<b>UPPER CARBONIFEROUS</b>		Fresh water sequence with some coal measures.
		Upper glacio-marine sequence of pebbly mudstone, pebbly sandstone and limestone.
		Fresh water sequence with some coal measures.
		Lower glacio-marine sequence of pebbly mudstone, pebbly sandstone, minor limestone, Tasmanite oil shale and basal tillite.

**WESTERN TASMANIA**

<b>UPPER-MIDDLE DEVONIAN</b>		Terrrestrial cavern fillings.	} EUGENANA BEDS
<b>LOWER DEVONIAN-SILURIAN</b>		Unconformity attributed to Taberbarberan Orogeny.	
<b>ORDOVICIAN</b>		Some quartz sandstone sequences (dark) and siltstone-shale sequences (light) indicated. Devonian limestone-siltstone (horizontally lined over-print). Limestone sequence with siltstone in some areas.	
		Siliceous terrestrial conglomerate, marine quartz sandstone and siltstone	} ELDON GROUP AND CORRELATES; SPERO BAY GROUP JUNEE GROUP AND CORRELATES
		Unconformity in northern Tasmania and parts of western Tasmania attributed to Cambrian movements; apparent conformity in Adamsfield region and parts of western Tasmania.	
<b>CAMBRIAN</b>		Middle-Upper Cambrian fossiliferous usually greywacke turbidite sequences (horizontally lined over-print); acid with intermediate volcanic and associated rocks dominant (dark); and horizon with fossiliferous Upper Cambrian shallow water deposits (vertically lined over-print); basic-intermediate volcanic and associated rocks dominant (diagonally lined over-print); probably Cambrian unfossiliferous usually greywacke turbidite sequences (light); probably Cambrian unfossiliferous orthoquartzite sequence (dotted).	} INCLUDING DUNDAS GROUP (fossiliferous); MT READ VOLCANICS AND OTHER FORMATIONS
		Usually unconformity attributed to Penguin Orogeny but apparent conformity at Smithton and Pieman River.	
<b>PRECAMBRIAN</b>		Comparatively unmetamorphosed sequences. Mudstone-sandstone sequences (u) - dominantly mudstone (light), dominantly orthoquartzite (dark), quartzwacke turbidite successions (small dot over-print), conglomerate (large dot over-print); dolomite (horizontally lined over-print); basalt lava (vertically lined over-print).	
		Metamorphic rocks. Pelitic sequences (dark); metaquartzite sequences (light) with some platy quartzite units indicated (vertically lined over-print); amphibolite (diagonally lined over-print). Garnet bearing rocks are indicated (g).	

<b>TERTIARY</b>		Basalt and related rock types.	<b>CAMBRIAN</b>		Granitic rocks.
<b>CRETACEOUS</b>		Syenite.			Coarser grained basic rocks.
		Appinite.			Serpentine, peridotite and associated rocks.
<b>JURASSIC</b>		Dolerite and related rock types.			Acid with intermediate volcanic and associated rocks.
		Dominantly adamellite-granite; biotite-hypersthene-adamellite porphyry (diagonally lined over-print).			Basic-intermediate volcanic and associated rocks.
<b>LOWER CARBONIFEROUS-UPPER DEVONIAN</b>		Dominantly granodiorite.	<b>PRECAMBRIAN</b>		Granite.
		Dominantly diorite.			Dolerite.

Undifferentiated rocks are indicated by the lightest colour and the letter "u" or "v"  
Blank boxes indicate absence of rock unit from this map sheet.

### 3. REGIONAL GEOLOGY

This review of the tenements regional setting has been taken, with some modification and additions from Herrmann, 1991.

The AMC is a narrow linear zone of strongly deformed and regionally metamorphosed rocks with magnetic character, trending NNE across NW Tasmania (Fig 2.). It separates two relatively unmetamorphosed late Precambrian sequences; the Rocky Cape Group to the west representing a stable continental shelf facies, and the Burnie/ Donah Formation to the east representing deeper water turbidites. The metamorphic rocks within the complex which range from green schist to blue schist facies (Turner et al 1992) are divided into two "sequences":

-the western sequence, Timbs Group consists of quartz-chlorite-mica-albite-carbonate schists, amphibolites and dolomite-magnesite marble. They are believed to have compositional similarities, especially in the tholeiitic nature of the amphibolites, to the clastic-carbonate-mafic volcanic sequence of the Ahrberg Group which unconformably overlies the Rocky Cape Group west of the southern part of the AMC.

-the eastern sequence consists of psammo-pelitic schists and quartzite which are compositionally similar to the Burnie and Donah Formations with which they appear to have a transitional eastern boundary.

On the basis of the Timbs-Ahrberg lithological correlation and the similarity of the Ahrberg Group to the eo-Cambrian sequences of the Smithton Trough and western Dundas Trough, it is hypothesized that the AMC represents a similar eo-Cambrian rift assemblage which was deformed and metamorphosed after the mid Cambrian. Geochemical and geochronological support for the correlation of these basic rocks is discussed in Turner et al 1992, age dating indicating 725 - 600my range. However basics within the AMC Bowry Formation between the Reece Dam and Rocky River are interlayered with felsic volcanics and sodic granitoids, the occurrence of these felsic rocks which predate metamorphism have not been recognised in eo-Cambrian sequences of the Dundas and Smithton Trough. Turner (pers com 1993) suggests that on the basis of whole rock geochemistry and field relationships the felsics and basics may represent a bimodal volcanic/intrusive sequence. The felsic rocks are frequently spatially associated with ironstone bodies.

The AMC Bowry Formation hosts numerous stratiform magnetite pyrite bodies, the largest of which is currently being mined for iron ore at Savage River. Minor copper, zinc and gold mineralization is associated with the ironstones. The geological setting has some similarities to the Starra deposit of the Mt Isa inlier and massive sulfide deposits of the Besshi style in Japan.

Devonian granites have intruded the western Tasmanian terrane and may underly at depth the tenements. Batholiths of the Meredith, Interview and Heemskirk Granites are exposed to the west, south and east of the AMC (Fig 2). Small (<10m wide) pyritic hydrothermal breccia dykes associated with felsic intrusives occur immediately east of the Bowry Formation between the Rocky and Paradise Rivers. These breccias are undeformed, cut graphitic schists and are probably of Devonian age. Devonian granites are associated with carbonate replacement tin mineralization at Renison Bell and Pb Zn Ag vein deposits at Zeehan.

The tenements lie within an extensive coastal plain, the Henty Surface which has been dated as post Eocene (Baillie and Corbett, 1985) and predate Tertiary basalt lava flows. An understanding of pre basalt geomorphology may help explain the distribution and source of alluvial gold occurrences in the licences.

#### 4. PREVIOUS EXPLORATION

A comprehensive review of previous exploration has been carried out by Herrmann 1991.

Work completed by Fodina Minerals Pty Ltd in the 1992-93 field season was reported by Poltock 1993. This exploration was helicopter supported, targeting copper gold mineralization associated with ironstones in the more inaccessible part of EL 14/89 between the Owen Meredith and Rocky Rivers. The programme included:

- 7.4km of line cutting
- ground magnetics
- 16# and -80# stream sediment sampling
- soil geochemistry
- rock geochemistry

The program failed to enhance the prospectivity of this section of EL 14/89.

## 5. WORK COMPLETED BY FODINA MINERALS JUNE 1993 - MAY 1994

## STREAM SEDIMENT GEOCHEMISTRY

The stream sediment program commenced in 1992 was extended to cover the main aeromagnetic anomalies in the three licences (Fig 3), more specifically the interpreted structurally complex zones in the southern part EL 2/93.

A nominal 5kg of active stream sediment was collected from flood level in streams, the samples dried, weighed (range 3.1 - 6.6kg) and sieved at Analabs to -80# and -16#.

-80# fraction was assayed for Cu Pb Zn Sb Bi W Sn by ICP method GS201 and As by method HA101. ≈ Ag

-16# fraction was assayed for Au Ag by static cyanide leach, method GG341.

Analytical reports are included in an appendix, sample locations plotted on Fig 4 and Cu As Au values plotted on Fig 5.

Sampling was initially on a regional basis and streams which returned elevated copper gold assays were sampled in more detail. The anomalous drainages can be divided into three groups:

- coincident Cu Au anomalies, interpreted as indicative of a bedrock source eg Pieman River tributaries 343000E 5383000N (Cu 57ppm Au 4.8ppb) and Graham Creek (Cu 174ppm Au 6.35ppb).

-gold anomalies unsupported by copper, interpreted to be associated with alluvial occurrences eg Timbs Creek (Cu 10ppm Au 23ppb).

- gold anomalies unsupported by copper and not supported by other sites in the drainage, interpreted as spurious and generated in the field or laboratory eg Owen Meredith (Cu 20ppm Au 8.16ppb) and 340900E 5382700N (Cu 5ppm Au 84.7ppb).

The anomalies interpreted to be associated with a bedrock source were prospected by stream traversing. The anomaly in the Pieman River tributaries centred on 343000E 5383000N appears to be associated with a magnetite bearing chlorite schist (meta basalt), the wide spread of weakly anomalous values in the area is more indicative of a rock unit rather than a mineralized zone. The Graham Creek anomaly is associated with a similar rock unit.

## 6. EXPENDITURE SUMMARY CORINNA EL 14/89

Casual labour	3 420
Consultant's fees	4 982
Assaying	2 677
Exploration consumables	170
Drafting and office supplies	867
Freight and communications	640
Motor vehicles	2 471
Technical service charges	2 688
Travel - fares and accomadation	2 006
Total	\$19 921

## 7. EXPENDITURE SUMMARY CORINNA SOUTH EL 56/89

Consultant's fees	2 627
Claims and tenement fees	570
Assaying	27
Exploration consumables	274
Drafting and office supplies	185
Freight and communications	277
Motor vehicles	554
Technical service charges	650
Travel - fares and accomadation	1 004
Total	\$6 168

## 8. EXPENDITURE SUMMARY PIEMAN RIVER EL 2/93

Casual labour	3 120
Consultant's fees	3 767
Assaying	7 211
Claims and tenement fees	1 280
Exploration consumables	491
Hire of equipment	138
Drafting and office supplies	350
Freight and communications	336
Motor vehicles	1 747
Technical service charges	1 050
Travel - fares and accomadation	2 024
Total	\$21 514

## 9. CONCLUSIONS

Copper gold anomalies defined by the stream sediment survey are associated with ironstones and magnetite bearing chlorite schists. The anomalies reflecting elevated backgrounds of copper and gold in these rock units rather than mineralized zones.

Results were not encouraging enough to continue exploring in this logistically difficult area.

## 10. REFERENCES

- Baillie, P.W. and Corbett, K.D. 1985 Geological survey explanatory report. Geological Atlas 1:50 000 Series. Strahan Tasmania Department of Mines.
- Herrmann, W. July 1990 EL 14/89 Corinna Exploration progress report. Outokumpu Exploration Australia Pty Ltd.
- Herrmann, W. May 1991 Annual report to 6 April, 1991. EL 56/89 Corinna South, Tasmania. Outokumpu Exploration Australia Pty Ltd.
- Poltock, R.A. May 1993 Annual Report to 26 May, 1993. EL 14/89 Corinna and EL 56/89 Corinna South. For Fodina Minerals Pty Ltd.
- Turner, N.J. Bottrill, R.S. Crawford, A.J. and Villa, I. 1992 Geology and prospectivity of the Arthur Mobile Belt in Tasmania: An island of potential. Tasmania Department of Mines. Geological Survey Bulletin 70.

APPENDIX I

Analytical reports Stream sediment samples.

# ANALABS

A Division of Inchope Inspection and  
Testing Services Australia Pty. Ltd.  
A.C.N. 004 591 664

919016

Phone (004) 316837

14 Thirkell St. CODEE TAS 7320

Fax (004) 318890

## ANALYTICAL REPORT No. 109555.60.09672

THIS REPORT MUST BE READ IN CONJUNCTION WITH THE ACCOMPANYING ANALYTICAL DATA

INVOICE TO:

Mining Project Investors Pty Ltd  
P.O. Box 749  
WEST PERTH WA 6005

ORDER No.

PROJECT

FX 0462

DATE RECEIVED

RESULTS REQUIRED

05/08/93

ASAP

No. OF PAGES  
OF RESULTS

DATE  
REPORTED

No.  
OF COPIES

TOTAL No.  
OF SAMPLES

6

06/09/93

1

66

SAMPLE NUMBERS

SAMPLE DESCRIPTION

ELEMENT/METHOD

0859/1023 -80#

SS Prep : MIX,SPLIT,SIEVE,PULVERISE

Cu,Pb,Zn,Sb,Bi,W,Sn/3S201

As/HA101

860/1024 -16#

Prep : DRY,SIEVE,PULVERISE

-16#,TotWt/6P007,Au,Ag/66340

RESULTS

TO

Mr Roger Pollock  
Roger Pollock Geological Pty Ltd  
C/- Post Office  
WILMOT TAS 7310

RESULTS

TO

Geochemical Clerk  
Mining Project Investors Pty Ltd  
P.O. Box 749  
WEST PERTH WA 6005

RESULTS

TO

REMARKS

N.B. Sb,W and Sn are acid soluble values.

  
AUTHORISED OFFICER

# ANALABS

919017

A Division of Inchcape Testing Services (Australia) Pty. Ltd.  
A.C.N. 004 591 664

## ANALYTICAL DATA

SAMPLE PREFIX

REPORT No.

REPORT DATE

CLIENT ORDER No.

PAGE

SAMPLE PREFIX		REPORT No.				REPORT DATE			CLIENT ORDER No.		PAGE	
		109555.60.09672				06/09/93			PX 0462		1 OF 6	
TUBE No.	SAMPLE No.	Cu	Zn	As	Ag	Sn	Sb	W	Au	Pb		
1	0859 -80#	15.60	32.20	15	-	4.29	0.55	3.13	-	11.90		
2	0861 -80#	10.50	14.40	17	-	3.87	0.40	1.79	-	9.45		
3	0863 -80#	23.20	22.40	11	-	4.11	0.49	1.93	-	11.80		
4	0865 -80#	6.34	4.22	5	-	3.40	0.27	0.84	-	3.12		
5	0867 -80#	9.62	10.10	4	-	4.01	0.32	0.95	-	3.64		
6	0869 -80#	15.70	22.70	6	-	3.87	0.32	1.02	-	3.47		
7	0871 -80#	<del>38.20</del>	<del>70.70</del>	<del>3</del>	-	4.53	0.40	1.22	-	14.80		
8	0873 -80#	13.20	21.60	2	-	3.80	0.39	0.78	-	4.99		
9	0875 -80#	9.61	12.00	1	-	3.74	0.35	0.80	-	4.18		
10	0877 -80#	22.30	32.00	2	-	4.02	0.50	1.06	-	8.06		
11	0879 -80#	35.50	93.60	4	-	4.68	0.39	1.41	-	12.00		
12	0881 -80#	21.50	25.10	3	-	4.16	0.48	0.83	-	8.09		
13	0883 -80#	7.19	8.78	1	-	3.47	0.23	0.41	-	2.79		
14	0885 -80#	44.10	64.40	2	-	4.43	0.49	0.95	-	11.90		
15	0887 -80#	36.70	61.10	1	-	4.48	0.39	0.80	-	10.40		
16	0889 -80#	7.47	15.20	1	-	4.20	0.34	0.84	-	3.71		
17	0891 -80#	5.91	6.65	<1	-	3.83	0.31	0.65	-	2.71		
18	0893 -80#	8.22	8.13	1	-	4.18	0.36	0.72	-	2.89		
19	0895 -80#	8.73	16.30	2	-	4.47	0.42	1.01	-	5.29		
20	0897 -80#	51.70	95.50	8	-	4.72	0.76	0.98	-	14.40		
21	0899 -80#	27.20	44.20	3	-	4.20	0.52	0.76	-	6.94		
22	1001 -80#	15.40	19.80	3	-	4.48	0.39	0.84	-	5.16		
23	1003 -80#	28.60	46.00	3	-	4.66	0.45	0.89	-	7.81		
24	1005 -80#	19.60	20.70	2	-	4.07	0.48	0.58	-	5.21		
25	1007 -80#	15.90	12.00	6	-	4.41	0.80	0.72	-	6.50		

Results in ppm unless otherwise specified  
 T = element present, but concentration too low to measure  
 X = element concentration is below detection limit  
 - = element not determined

AUTHORISED OFFICER

# ANALABS

A Division of Inchcape Testing Services (Australia) Pty. Ltd.  
A.C.N. 004 591 684

## ANALYTICAL DATA


SAMPLE PREFIX      REPORT No.      REPORT DATE      CLIENT ORDER No.      PAGE

109555.60.09672      06/09/93      PX 0462      2 OF 6

TUBE No.	SAMPLE No.	Cu	Zn	As	Ag	Sn	Sb	W	Au	Pb
1	1009 -80#	22.70	26.20	2	-	4.54	0.67	0.64	-	6.65
2	1011 -80#	30.60	46.70	5	-	4.69	0.43	0.88	-	7.49
3	1013 -80#	21.80	39.00	4	-	4.13	0.54	0.65	-	5.69
4	1015 -80#	10.50	21.90	1	-	3.98	0.35	0.62	-	3.94
5	1017 -80#	19.90	33.60	1	-	3.65	0.34	0.35	-	8.58
6	1019 -80#	24.80	46.30	1	-	4.03	0.37	0.73	-	8.25
7	<del>1021 -80#</del>	<del>14.20</del>	<del>23.70</del>	<del>1</del>	<del>-</del>	<del>3.90</del>	<del>0.35</del>	<del>0.42</del>	<del>-</del>	<del>5.74</del>
8	1023 -80#	15.30	20.40	<1	-	3.94	0.91	0.51	-	21.40
9	0860 -16#	-	-	-	<0.050	-	-	-	1.58	-
10	0862 -16#	-	-	-	<0.050	-	-	-	0.37	-
11	0864 -16#	-	-	-	<0.050	-	-	-	1.51	-
12	0866 -16#	-	-	-	<0.050	-	-	-	2.02	-
13	0868 -16#	-	-	-	<0.050	-	-	-	0.14	-
14	0870 -16#	-	-	-	<0.050	-	-	-	0.36	-
15	0872 -16#	-	-	-	<0.050	-	-	-	0.91	-
16	0874 -16#	-	-	-	<0.050	-	-	-	0.43	-
17	0876 -16#	-	-	-	<0.050	-	-	-	1.21	-
18	0878 -16#	-	-	-	<0.050	-	-	-	0.68	-
19	0880 -16#	-	-	-	<0.050	-	-	-	0.67	-
20	0882 -16#	-	-	-	<0.050	-	-	-	4.13	-
21	0884 -16#	-	-	-	<0.050	-	-	-	0.56	-
22	0886 -16#	-	-	-	<0.050	-	-	-	1.05	-
23	0888 -16#	-	-	-	<0.050	-	-	-	1.72	-
24	0890 -16#	-	-	-	<0.050	-	-	-	0.12	-
25	0892 -16#	-	-	-	<0.050	-	-	-	0.26	-

Results in ppm unless otherwise specified  
 T = element present, but concentration too low to measure  
 X = element concentration is below detection limit  
 - = element not determined

AUTHORISED OFFICER



# ANALABS

A Division of Inchoape Testing Services (Australia) Pty. Ltd.  
A.C.N. 004 591 664

## ANALYTICAL DATA

SAMPLE PREFIX      REPORT No.      REPORT DATE      CLIENT ORDER No.      PAGE

109555.60.09672      06/09/93      PX 0462      3 OF 6

TUBE No.	SAMPLE No.	Cu	Zn	As	Ag	Sn	Sb	W	Au	Pb
1	0894 -16#	-	-	-	<0.050	-	-	-	0.08	-
2	0896 -16#	-	-	-	<0.050	-	-	-	<0.05	-
3	0898 -16#	-	-	-	<0.050	-	-	-	1.53	-
4	0900 -16#	-	-	-	<0.050	-	-	-	0.55	-
5	1002 -16#	-	-	-	<0.050	-	-	-	0.08	-
6	1004 -16#	-	-	-	<0.050	-	-	-	2.09	-
7	1006 -16#	-	-	-	<0.050	-	-	-	8.16	-
8	1008 -16#	-	-	-	<0.050	-	-	-	0.11	-
9	1010 -16#	-	-	-	<0.050	-	-	-	0.56	-
10	1012 -16#	-	-	-	<0.050	-	-	-	0.22	-
11	1014 -16#	-	-	-	<0.050	-	-	-	0.27	-
12	1016 -16#	-	-	-	<0.050	-	-	-	0.33	-
13	1018 -16#	-	-	-	<0.050	-	-	-	1.14	-
14	1020 -16#	-	-	-	<0.050	-	-	-	9.68	-
15	1022 -16#	-	-	-	<0.050	-	-	-	1.16	-
16	1024 -16#	-	-	-	<0.050	-	-	-	0.39	-
17										
18										
19										
20										
21										
22										
23	DETECTION	2.00	2.00	1	0.050	0.50	0.05	0.10	0.05	1.00
24	UNITS	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppb	ppm
25	METHOD	GS201	GS201	HA101	GG341	GS201	GS201	GS201	GG341	GS201

Results in ppm unless otherwise specified  
T = element present, but concentration too low to measure  
X = element concentration is below detection limit  
- = element not determined


ICP ICP

BA

ICP

ICP

AUTHORISED OFFICER



# ANALABS

A Division of Inchcape Testing Services (Australia) Pty. Ltd.  
A.C.N. 004 591 664

## ANALYTICAL DATA

SAMPLE PREFIX

REPORT No.

REPORT DATE

CLIENT ORDER No.

PAGE

109555.60.09672

06/09/93


PX 0462

4 OF 6

TUBE No.	SAMPLE No.	Bi	-16#	TotWt						
1	0859 -80#	<0.10	-	-						
2	0861 -80#	<0.10	-	-						
3	0863 -80#	0.11	-	-						
4	0865 -80#	<0.10	-	-						
5	0867 -80#	<0.10	-	-						
6	0869 -80#	<0.10	-	-						
7	<del>0871 -80#</del>	<del>0.12</del>								
8	0873 -80#	<0.10	-	-						
9	0875 -80#	<0.10	-	-						
10	0877 -80#	<0.10	-	-						
11	0879 -80#	0.10	-	-						
12	0881 -80#	<0.10	-	-						
13	0883 -80#	<0.10	-	-						
14	0885 -80#	0.11	-	-						
15	0887 -80#	0.11	-	-						
16	0889 -80#	<0.10	-	-						
17	0891 -80#	<0.10	-	-						
18	0893 -80#	0.11	-	-						
19	0895 -80#	<0.10	-	-						
20	0897 -80#	0.14	-	-						
21	0899 -80#	0.10	-	-						
22	1001 -80#	<0.10	-	-						
23	1003 -80#	<0.10	-	-						
24	1005 -80#	0.11	-	-						
25	1007 -80#	0.10	-	-						

Results in ppm unless otherwise specified  
 T = element present, but concentration too low to measure  
 X = element concentration is below detection limit  
 -- = element not determined

AUTHORISED OFFICER



# ANALABS

A Division of Inchcape Testing Services (Australia) Pty. Ltd.  
A.C.N. 004 591 664

## ANALYTICAL DATA

SAMPLE PREFIX

REPORT No.

REPORT DATE

CLIENT ORDER No.

PAGE

109555.60.09672

06/09/93


PX 0462

5 OF 6

TUBE No.	SAMPLE No.	Bi	-16#	TotWt					
1	1009 -80#	<0.10	-	-					
2	1011 -80#	<0.10	-	-					
3	1013 -80#	<0.10	-	-					
4	1015 -80#	<0.10	-	-					
5	1017 -80#	<0.10	-	-					
6	1019 -80#	<0.10	-	-					
7	1021 -80#	<0.10	-	-					
8	1023 -80#	<0.10	-	-					
9	0860 -16#	-	4088.2	6232.4					
10	0862 -16#	-	3727.6	5429.0					
11	0864 -16#	-	3148.0	5088.8					
12	0866 -16#	-	3739.8	5531.0					
13	0868 -16#	-	2728.6	4203.8					
14	0870 -16#	-	2786.0	5647.0					
15	0872 -16#	-	2642.2	5811.4					
16	0874 -16#	-	3432.7	6277.4					
17	0876 -16#	-	3411.2	5535.4					
18	0878 -16#	-	3022.8	5010.4					
19	0880 -16#	-	2466.4	4623.6					
20	0882 -16#	-	2531.8	5236.5					
21	0884 -16#	-	4154.8	6193.8					
22	0886 -16#	-	3047.8	5233.2					
23	0888 -16#	-	2180.4	5925.0					
24	0890 -16#	-	4932.6	6417.4					
25	0892 -16#	-	3398.0	4513.2					

Results in ppm unless otherwise specified  
 T = element present; but concentration too low to measure  
 X = element concentration is below detection limit  
 -- = element not determined

AUTHORISED OFFICER



# ANALABS

A Division of Inchcape Testing Services (Australia) Pty. Ltd.  
A.C.N. 004 591 684

## ANALYTICAL DATA

SAMPLE PREFIX

REPORT No.

REPORT DATE

CLIENT ORDER No.

PAGE

109555.60.09672

06/09/93


PX 0462

6 OF 6

TUBE No.	SAMPLE No.	Bi	-16#	TotWt					
1	0894 -16#	-	2224.6	3163.5					
2	0896 -16#	-	3219.8	5625.7					
3	0898 -16#	-	2369.5	5411.6					
4	0900 -16#	-	3509.9	5453.8					
5	1002 -16#	-	4120.8	4522.6					
6	1004 -16#	-	2246.0	5464.8					
7	1006 -16#	-	1936.8	4871.8					
8	1008 -16#	-	3173.4	5444.0					
9	1010 -16#	-	2378.6	3973.1					
10	1012 -16#	-	2586.7	5812.0					
11	1014 -16#	-	2043.2	4842.2					
12	1016 -16#	-	3985.3	6116.1					
13	1018 -16#	-	3250.4	5593.8					
14	1020 -16#	-	2261.0	5942.0					
15	1022 -16#	-	4308.4	6274.4					
16	1024 -16#	-	3106.2	4691.4					
17									
18									
19									
20									
21									
22									
23	DETECTION	0.10	0.01	0.01					
24	UNITS	ppm	g	g					
25	METHOD	GS201	GP007	GP007					

Results in ppm unless otherwise specified  
 T = element present but concentration too low to measure  
 X = element concentration is below detection limit  
 - = element not determined

AUTHORISED OFFICER





# ANALABS

A Division of Incheape Testing Services (Australia) Pty. Ltd.  
A.C.N. 004 591 664

919023

Phone (004) 316837

14 Thirkell St. COOEE TAS 7320

Fax (004) 318890

## ANALYTICAL REPORT No.

109555.60.09714

THIS REPORT MUST BE READ IN CONJUNCTION WITH THE ACCOMPANYING ANALYTICAL DATA

INVOICE TO:

Mining Project Investors Pty Ltd  
P.O. Box 749  
WEST PERTH WA 6005

ORDER No.

PROJECT

PX 0465

EL 14/89

DATE RECEIVED

RESULTS REQUIRED

30/08/93

ASAP

No. OF PAGES  
OF RESULTS

DATE  
REPORTED

No.  
OF COPIES

TOTAL No.  
OF SAMPLES

1

29/09/93

1

34

SAMPLE NUMBERS	SAMPLE DESCRIPTION	ELEMENT/METHOD
-90# 1025/1057	SS Prep : 6P006,6P007,6P012,6P018	Cu,Pb,Zn,Sb,Bi,W,Sn/6S201
-16# 1026/1058		As/HA101
		-16#,TotWt/6P007,Au,Ag/66341

RESULTS  
TO

Mr Roger Poltock  
Roger Poltock Geological Pty Ltd  
C/- Post Office  
WILMOT TAS 7310

RESULTS  
TO

Geochemical Clerk  
Mining Project Investors Pty Ltd  
P.O. Box 749  
WEST PERTH WA 6005

RESULTS  
TO

Empty box for results recipient information.

REMARKS

AUTHORISED OFFICER

**ANALABS**A Division of Inchcape Testing Services (Australia) Pty. Ltd.  
A.C.N. 004 591 664**ANALYTICAL DATA**

SAMPLE PREFIX

REPORT No.


REPORT DATE

CLIENT ORDER No.

PAGE

		109555.60.09714				29/09/93	PX 0465		1 OF 1	
TUBE No.	SAMPLE No.	Ag	Au	-16#	TotWt					
1	1026 -16#	<0.05	1.43	2705.5	5838.2					
2	1028 -16#	<0.05	1.37	4186.2	5783.4					
3	1030 -16#	<0.05	0.74	3419.2	5581.4					
4	1032 -16#	<0.05	1.18	2639.6	5363.5					
5	1034 -16#	<0.05	1.16	2258.8	4953.0					
6	1036 -16#	<0.05	1.89	1265.0	2873.4					
7	1038 -16#	<0.05	0.44	2154.2	5573.8					
8	1040 -16#	<0.05	0.89	2057.6	3786.6					
9	1042 -16#	<0.05	0.65	2506.4	6017.7					
10	1044 -16#	<0.05	4.07	2997.0	5024.4					
11	1046 -16#	<0.05	0.95	2333.4	3654.8					
12	1048 -16#	<0.05	23.00	2308.9	4749.4					
13	1050 -16#	<0.05	6.83	1721.2	3150.1					
14	1052 -16#	<0.05	0.37	2246.7	4583.0					
15	1054 -16#	<0.05	0.08	3183.0	6367.8					
16	1056 -16#	<0.05	0.43	2598.4	6601.2					
17	1058 -16#	<0.05	0.48	2421.8	4251.1					
18										
19										
20										
21										
22										
23	DETECTION	0.05	0.05	0.01	0.01					
24	UNITS	ppm	ppb	g	g					
25	METHOD	GG341	GG341	GP007	GP007					

Results in ppm unless otherwise specified  
 T = element present, but concentration too low to measure  
 X = element concentration is below detection limit  
 - = element not determined

 AUTHORISED  
 OFFICER 

# ANALABS

A Division of Inchcape Testing Services (Australia) Pty. Ltd.  
A.C.N. 004 591 664

919025

## ANALYTICAL DATA

SAMPLE PREFIX                      REPORT No.                      REPORT DATE                      CLIENT ORDER No.                      PAGE

109555.60.09714                      29/09/93                      PX 0465                      1 OF 1

TUBE No.	SAMPLE No.	Cu	Pb	Zn	Sb	Bi	W	Sn	As	
1	1025 -80#	33.20	49.60	209.00	0.62	0.11	2.04	1.50	17	
2	1027 -80#	19.10	32.60	203.00	0.47	<0.10	0.93	1.12	7	
3	1029 -80#	30.20	23.50	106.00	0.43	<0.10	1.02	1.45	8	
4	1031 -80#	28.10	20.10	70.20	0.42	<0.10	1.11	1.37	4	
5	1033 -80#	32.30	13.50	52.30	0.43	<0.10	0.70	1.21	5	
6	1035 -80#	49.30	17.80	71.00	0.41	<0.10	0.95	1.51	3	
7	1037 -80#	22.00	8.97	61.10	0.37	<0.10	0.63	1.05	4	
8	1039 -80#	15.10	7.81	36.90	0.33	<0.10	0.62	1.04	2	
9	1041 -80#	24.20	9.19	49.70	0.31	<0.10	0.70	1.35	3	
10	1043 -80#	10.30	6.74	24.90	0.44	<0.10	0.71	1.20	2	
11	1045 -80#	10.30	5.04	15.00	0.51	<0.10	0.50	1.04	4	
12	1047 -80#	9.49	5.30	20.30	0.47	<0.10	0.51	1.30	3	
13	1049 -80#	8.69	5.21	18.20	0.39	<0.10	0.52	1.06	3	
14	1051 -80#	20.70	7.31	44.60	0.30	<0.10	0.63	1.07	2	
15	1053 -80#	7.70	8.96	35.30	0.30	<0.10	0.49	1.24	2	
16	1055 -80#	20.10	13.70	48.10	0.45	0.18	0.87	1.66	4	
17	1057 -80#	34.10	6.83	81.00	0.31	<0.10	0.48	1.08	3	
18										
19										
20										
21										
22	N.B. Sb, Sn, W ARE ACID SOLUBLE VALUES									
23	DETECTION	2.00	1.00	2.00	0.05	0.10	0.10	0.50	1	
24	UNITS	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
25	METHOD	GS201	GS201	GS201	GS201	GS201	GS201	GS201	HA101	

Results in ppm unless otherwise specified  
 T = element present; but concentration too low to measure  
 X = element concentration is below detection limit  
 - = element not determined

AUTHORISED OFFICER



# ANALABS

A Division of Incharge Testing Services (Australia) Pty. Ltd.  
A.C.N. 004 591 664

Phone (004) 316837

14 Thirkell St. DOBEE TAS 7320

Fax (004) 318890

## ANALYTICAL REPORT No.

109555.60.09733

THIS REPORT MUST BE READ IN CONJUNCTION WITH THE ACCOMPANYING ANALYTICAL DATA

INVOICE TO:

Mining Project Investors Pty Ltd  
P.O. Box 749  
WEST PERTH WA 6005

ORDER No:

PROJECT

PX 0466

EL 14/89

DATE RECEIVED

RESULTS REQUIRED

09/09/93

ASAP

No. OF PAGES  
OF RESULTS

DATE  
REPORTED

No.  
OF COPIES

TOTAL No.  
OF SAMPLES

1

06/10/93

1

38

SAMPLE NUMBERS

SAMPLE DESCRIPTION

ELEMENT/METHOD

30#, 1059/1095/2

SD Prep : 6P006, 6P007, 6P012, 6P018

Cu, Pb, Zn, Sb, Bi, Sn, W/6S201

As/HA101

16#, 1060/1096/2

-16#, TotWt/6P007, Au, Ag/66341

RESULTS  
TO

Mr Roger Pollock  
Roger Pollock Geological Pty Ltd  
C/- Post Office  
WILMOT TAS 7310

REMARKS

N.B. Sb, Sn, W ARE ACID SOLUBLE VALUES

RESULTS  
TO

Geochemical Clerk  
Mining Project Investors Pty Ltd  
P.O. Box 749  
WEST PERTH WA 6005

RESULTS  
TO

[Empty box for results recipient]

AUTHORISED OFFICER

# ANALABS

919027

A Division of Inchcape Testing Services (Australia) Pty. Ltd.  
A.C.N. 004 591 664

## ANALYTICAL DATA

SAMPLE PREFIX                      REPORT No.                      REPORT DATE                      CLIENT ORDER No.                      PAGE

		109555.60.09733				06/10/93		PX 0466		1 OF 1	
TUBE No.	SAMPLE No.	Cu	Pb	Zn	Sb	Bi	W	Sn	As		
1	1059 -80#	40.30	14.10	72.00	0.62	0.14	0.89	3.44	3		
2	1061 -80#	33.20	7.93	30.10	0.66	0.11	0.96	2.08	2		
3	1063 -80#	20.60	5.23	25.80	0.51	<0.10	0.80	1.66	1		
4	1065 -80#	20.30	4.68	18.70	0.53	<0.10	0.59	1.50	<1		
5	1067 -80#	36.00	5.84	39.40	0.55	0.10	1.05	2.11	1		
6	1069 -80#	174.00	16.70	260.00	0.46	0.11	0.74	1.69	4		
7	1071 -80#	18.90	5.21	18.10	0.43	0.12	0.76	2.31	<1		
8	1073 -80#	11.80	4.21	17.50	0.31	<0.10	0.47	1.81	<1		
9	1075 -80#	19.40	6.28	49.70	0.69	<0.10	0.53	1.26	<1		
10	1077 -80#	29.90	5.99	63.40	0.39	<0.10	0.53	1.44	<1		
11	1079 -80#	32.60	5.49	62.50	0.30	<0.10	0.39	1.30	1		
12	1081 -80#	58.40	8.40	101.00	0.27	<0.10	0.20	1.40	1		
13	1083 -80#	37.40	6.31	83.90	0.20	<0.10	0.27	1.45	<1		
14	1085 -80#	7.12	3.38	8.04	0.24	<0.10	0.27	1.00	<1		
15	1087 -80#	36.00	6.93	103.00	0.14	<0.10	0.14	1.42	<1		
16	1089 -80#	14.60	6.71	27.10	0.51	<0.10	0.43	1.82	2		
17	1091 -80#	49.20	16.60	104.00	0.58	<0.10	0.56	1.79	2		
18	1093 -80#	62.80	14.30	105.00	0.39	<0.10	0.26	1.30	2		
19	1095 -80#	63.80	15.40	78.40	0.63	0.10	0.85	2.02	4		
20											
21											
22											
23	DETECTION	2.00	1.00	2.00	0.05	0.10	0.10	0.50	1		
24	UNITS	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm		
25	METHOD	GS201	GS201	GS201	GS201	GS201	GS201	GS201	HA101		

Results in ppm unless otherwise specified  
 T = element present, but concentration too low to measure  
 X = element concentration is below detection limit  
 -- = element not determined

AUTHORISED OFFICER

# ANALABS

919028

A Division of Inchcape Testing Services (Australia) Pty. Ltd.  
A.C.N. 004 591 664

## ANALYTICAL DATA

SAMPLE PREFIX

REPORT No.

REPORT DATE


CLIENT ORDER No.

PAGE

SAMPLE PREFIX		REPORT No.				REPORT DATE	CLIENT ORDER No.			PAGE
		109555.60.09733				06/10/93	PX 0466			1 OF 1
TUBE No.	SAMPLE No.	Ag	Au	TotWt	-16Wt					
1	1060 -16#	<0.050	0.73	6083.0	4546.6					
2	1062 -16#	<0.050	0.84	4668.6	3841.0					
3	1064 -16#	<0.050	0.61	5837.6	4262.0					
4	1066 -16#	<0.050	0.85	3079.6	2381.2					
5	1068 -16#	<0.050	0.63	5771.8	2698.2					
6	1070 -16#	<0.050	6.35	3863.4	933.25					
7	1072 -16#	<0.050	0.70	6498.0	4414.8					
8	1074 -16#	<0.050	1.17	5399.8	3016.2					
9	1076 -16#	<0.050	0.35	4526.4	1975.8					
10	1078 -16#	<0.050	1.37	5991.8	3858.6					
11	1080 -16#	<0.050	0.78	6325.5	3343.7					
12	1082 -16#	<0.050	0.42	4064.7	1562.6					
13	1084 -16#	<0.050	0.52	3836.8	2291.6					
14	1086 -16#	<0.050	0.11	4166.6	3126.2					
15	1088 -16#	0.050	0.37	3291.8	1618.2					
16	1090 -16#	<0.050	0.07	4610.0	2469.8					
17	1092 -16#	<0.050	2.81	4059.4	1530.9					
18	1094 -16#	0.050	3.91	6455.4	3068.8					
19	1096 -16#	<0.050	2.88	5508.0	2110.2					
20										
21										
22										
23	DETECTION	0.050	0.05	0.01	0.01					
24	UNITS	ppm	ppb	g	g					
25	METHOD	GG341	GG341	MT831	MT831					

Results in ppm unless otherwise specified  
 T = element present; but concentration too low to measure  
 X = element concentration is below detection limit  
 - = element not determined

AUTHORISED OFFICER





# ANALABS

A Division of Inchcape Testing Services (Australia) Pty. Ltd.  
A.C.N. 004 591 664

Phone (004) 316837

14 Thirkell St. COOEE TAS 7320

Fax (004) 318890

## ANALYTICAL REPORT No.

109555.60.09774

THIS REPORT MUST BE READ IN CONJUNCTION WITH THE ACCOMPANYING ANALYTICAL DATA

INVOICE TO:

Mining Project Investors Pty Ltd  
P.O. Box 749  
WEST PERTH WA 6005

ORDER No.

PROJECT

PX 0467

EL 2/93

DATE RECEIVED

RESULTS REQUIRED

04/10/93

ASAP

No. OF PAGES OF RESULTS

DATE REPORTED

No. OF COPIES

TOTAL No. OF SAMPLES

2

02/11/93

1

56

SAMPLE NUMBERS

SAMPLE DESCRIPTION

ELEMENT/METHOD

097 / 1251 -80#

SS Prep : ROLL,MIX,SIEVE,PULVERISE

Cu,Pb,Zn,Sb,Bi,Sn,W/6S201

As/HA101

098 / 1252 -16#

Au,Ag/66341

-16#,TotWt/GP007

RESULTS TO

Mr Roger Pollock  
Roger Pollock Geological Pty Ltd  
C/- Post Office  
WILMOY TAS 7310

RESULTS TO

Geochemical Clerk  
Mining Project Investors Pty Ltd  
P.O. Box 749  
WEST PERTH WA 6005

RESULTS TO

REMARKS

  
AUTHORISED OFFICER

919030

**ANALABS**A Division of Inchcape Testing Services (Australia) Pty. Ltd.  
A.C.N. 004 591 664**ANALYTICAL DATA**

SAMPLE PREFIX

REPORT No.

REPORT DATE

CLIENT ORDER No.

PAGE

109555.60.09774


02/11/93

PX 0467

1 OF 2

TUBE No.	SAMPLE No.	Cu	Pb	Zn	Sb	Bi	Sn	W	As	
1	1097 -80#	56.50	91.60	47.70	0.68	<0.10	2.54	1.07	4	
2	1099 -80#	49.50	18.10	60.60	0.74	<0.10	2.03	1.00	2	
3	1201 -80#	59.60	32.80	56.40	0.70	<0.10	1.73	1.26	3	
4	1203 -80#	24.20	24.60	25.50	0.56	<0.10	1.87	1.36	1	
5	1205 -80#	27.60	36.80	34.90	0.38	<0.10	1.20	0.70	2	
6	1207 -80#	47.30	40.30	45.80	0.60	<0.10	1.55	1.44	1	
7	1209 -80#	77.20	25.10	124.00	0.45	0.17	1.54	1.08	3	
8	1211 -80#	41.50	254.00	75.80	0.56	0.12	1.65	1.15	3	
9	1213 -80#	24.60	8.33	34.20	0.29	<0.10	1.21	0.60	1	
10	1215 -80#	72.20	27.70	90.70	0.55	0.12	1.76	1.24	2	
11	1217 -80#	48.90	28.50	87.00	0.89	0.13	1.46	0.81	4	
12	1219 -80#	38.40	9.46	35.80	0.55	<0.10	1.51	0.65	2	
13	1221 -80#	48.90	47.70	77.50	1.36	0.55	2.20	0.46	28	
14	1223 -80#	75.90	24.40	92.60	0.50	0.14	1.41	0.38	5	
15	1225 -80#	48.40	12.80	57.50	0.55	<0.10	1.83	0.98	3	
16	1227 -80#	17.80	6.64	21.90	1.07	<0.10	1.76	1.08	2	
17	1229 -80#	23.30	5.94	24.20	0.51	<0.10	1.34	0.71	2	
18	1231 -80#	46.30	23.90	92.20	0.39	<0.10	1.35	0.50	2	
19	1233 -80#	44.60	14.40	56.40	0.40	<0.10	1.22	0.61	2	
20	1235 -80#	104.00	35.30	130.00	0.39	0.10	1.50	0.63	3	
21	1237 -80#	72.40	19.50	113.00	1.01	0.13	1.80	0.81	3	
22	1239 -80#	40.50	13.60	59.30	0.41	<0.10	1.38	0.79	2	
23	1241 -80#	43.60	10.40	69.70	0.40	0.15	1.54	0.61	2	
24	1243 -80#	32.10	7.85	55.10	0.46	<0.10	2.16	0.88	1	
25	1245 -80#	33.80	16.00	36.90	0.60	0.20	1.43	0.53	10	

Results in ppm unless otherwise specified  
 T = element present; but concentration too low to measure  
 X = element concentration is below detection limit  
 - = element not determined

 AUTHORIZED  
 OFFICER 

**ANALABS**A Division of Inchcape Testing Services (Australia) Pty. Ltd.  
A.C.N. 004 591 664**ANALYTICAL DATA**

SAMPLE PREFIX

REPORT No.

REPORT DATE

CLIENT ORDER No.

PAGE

109555.60.09774

02/11/93

PX 0467


2

OF 2

TUBE No.	SAMPLE No.	Cu	Pb	Zn	Sb	Bi	Sn	W	As	
1	1247 -80#	34.40	7.12	47.70	0.51	<0.10	1.34	1.02	3	
2	1249 -80#	41.00	10.80	79.50	0.45	<0.10	1.44	0.76	5	
3	1251 -80#	30.80	10.30	40.20	0.59	<0.10	1.53	1.37	5	
4										
5										
6										
7										
8										
9										
10										
11										
12										
13										
14										
15										
16										
17										
18										
19										
20										
21										
22										
23	DETECTION	2.00	1.00	2.00	0.05	0.10	0.50	0.10	1	
24	UNITS	ppm								
25	METHOD	GS201	HA101							

Results in ppm unless otherwise specified  
T = element present; but concentration too low to measure  
X = element concentration is below detection limit  
- = element not determined

AUTHORISED  
OFFICER



# ANALABS

919032

A Division of Inchcape Testing Services (Australia) Pty. Ltd.  
A.C.N. 004 591 664

## ANALYTICAL DATA

SAMPLE PREFIX

REPORT No.

REPORT DATE

CLIENT ORDER No.

PAGE

109555.60.09774

02/11/93


PX 0467

1 OF 2

TUBE No.	SAMPLE No.	Au	Ag	-16#	TotWt				
1	1098 -16#	1.55	0.024	4896.5	6268.0				
2	1100 -16#	1.24	<0.010	2226.8	4946.6				
3	1202 -16#	0.69	<0.010	2939.2	4994.9				
4	1204 -16#	1.87	<0.010	5359.8	6670.4				
5	1206 -16#	0.73	0.022	3590.8	6212.5				
6	1208 -16#	0.65	0.022	3213.8	5695.6				
7	1210 -16#	1.42	0.024	2736.0	4589.7				
8	1212 -16#	1.59	0.041	2859.4	5566.1				
9	1214 -16#	4.90	0.041	2525.2	4823.0				
10	1216 -16#	1.72	0.040	2572.2	5046.7				
11	1218 -16#	1.62	0.080	2321.7	5410.0				
12	1220 -16#	0.95	0.025	2722.9	4968.9				
13	1222 -16#	5.40	0.362	2970.0	3946.6				
14	1224 -16#	3.47	0.071	3143.7	4839.2				
15	1226 -16#	1.38	0.038	2115.8	3413.6				
16	1228 -16#	0.45	0.021	3571.0	6389.9				
17	1230 -16#	0.39	0.014	4221.4	4869.0				
18	1232 -16#	1.39	0.050	2658.4	4477.4				
19	1234 -16#	2.48	0.042	2926.7	4013.8				
20	1236 -16#	3.52	0.073	2514.2	4109.6				
21	1238 -16#	1.54	0.048	1664.4	2875.4				
22	1240 -16#	1.09	0.036	3876.7	5042.9				
23	1242 -16#	0.64	0.025	3176.9	5392.0				
24	1244 -16#	0.87	0.025	3772.9	5164.7				
25	1246 -16#	2.27	0.053	2818.8	4206.8				

Results in ppm unless otherwise specified  
 T = element present; but concentration too low to measure  
 X = element concentration is below detection limit  
 - = element not determined

AUTHORISED OFFICER



# ANALABS

919033

A Division of Inchcape Testing Services (Australia) Pty. Ltd.  
A.C.N. 004 591 664

## ANALYTICAL DATA

SAMPLE PREFIX

REPORT No.

REPORT DATE

CLIENT ORDER No.

PAGE

109555.60.09774

02/11/93


PX 0467


2 OF 2

TUBE No.	SAMPLE No.	Au	Ag	-16#	TotWt				
1	1248 -16#	0.45	0.022	1734.2	2576.2				
2	1250 -16#	1.08	0.022	1826.1	3522.0				
3	1252 -16#	0.39	0.025	2168.6	3993.6				
4									
5									
6									
7									
8									
9									
10									
11									
12									
13									
14									
15									
16									
17									
18									
19									
20									
21									
22									
23	DETECTION	0.05	0.010	0.01	0.01				
24	UNITS	ppb	ppm	g	g				
	METHOD	GG341	GG341	GP007	GP007				

Results in ppm unless otherwise specified  
 T = element present; but concentration too low to measure  
 X = element concentration is below detection limit  
 - = element not determined

AUTHORISED OFFICER






919034  
**94-3566**

FODINA MINERALS PTY. LTD.


EL 14/89 & EL 56/89  
 CORINNA AND CORINNA SOUTH  
 STREAM SEDIMENT SAMPLE LOCATIONS

5 cm

AUTHOR	R PILTOCK	OFFICE	TAS	DRAWING No
DRAWN	D HEDDITCH	DATE	3 1 93	Fig 4
REVISED		DATE		
SCALE	1 : 25000			




DATA PRESENTATION  
 CONTOUR INTERVAL : 10m  
 CONTOUR PENS : 10m GREEN  
 100m BLACK  
 1000m THICK BLACK



919035

94-3566

FODINA MINERALS PTY LTD
WESTERN TASMANIA AEROMAGNETICS
CORINNA SHEET AREA CONTOURED AEROMAGNETICS (m)
Fig. 3



**LEGEND**

- 16 55 0.69  
ppm ppm ppm
- 80# Cu (ICP-MS)  
As (AAS)
- 16# Au (cyanide extraction  
-static leach)

N.B. Gold analysis south of 5384000N are not directly comparable with those further north, see text.

**94-3566**

FODINA MINERALS PTY. LTD.

EL 14/89 & EL 56/89  
CORINNA AND CORINNA SOUTH  
STREAM SEDIMENT GEOCHEMISTRY

5cm

AUTHOR	R POLTOCK	OFFICE	TAS	DRAWING No.
DRAWN	O HEDDITCH	DATE	3/7/93	Fig. 5
REVISED		DATE		
SCALE	1:25,000			

919036