



SUMMARY OF COMPLETED HOLE			SPECIFICATIONS OF PROPOSED HOLE				
CO-ORDINATES	NORTHING	EASTING	R. L.	CO-ORDINATES	NORTHING	EASTING	R. L.
LOCAL GRID	48245 N	61020 E	158.0m	LOCAL GRID			
A.M.G.	5349750 N	364675 E	158.0m	A.M.G.			

INTERNAL SURVEY INFORMATION			ANTICIPATED GEOLOGY		
DEPTH	AZIMUTH	DIP	DEPTH	AZIMUTH	DIP
43.0m	115° mag.	-60°			
75.0m	116° mag.	-60.5°			
123.0m	117° mag.	-61°			

DRILLED GEOLOGY (SUMMARISED)		MINERALISATION AND SIGNIFICANT ASSAYS	
DEPTH	LITHOLOGY	DEPTH	MINERALISATION AND SIGNIFICANT ASSAYS
0-7.5m	Pug and gravel.		
7.5-15.5m	Dolomitic Lime Mudstone.		
15.5-17.0m	Grainstone of Carbonate Sand.		
17.0-55.9m	Dolomitic Lime Mudstone with algal mats and birdseye bands.		
55.9-63.5m	Grainstone of Carbonate Sand.		
63.5-98.0m	Dolomitic Lime Mudstone with algal mats and birdseye bands.		
98.0-99.5m	Grainstone of Carbonate Sand.		
99.5-110.9m	Dolomitic Lime Mudstone.	95.5-107.6m	9.10% Zn, 3.85% Pb
110.9-137.4m	Clayey Material.	107.6-138.5m	
137.4-138.5m	Sandstone.		

SAMPLE DATA		ELECTROLYTIC ZINC CO. OF ASIA LTD.	
SAMPLED INTERVAL	SAMPLE NUMBERS	PROJECT: ZEEHAN	TAS.
8.3-65.9m	70680-70700		
65.9-110.9m	58258-58272		
131.5-135.7m	58273-58275		

LOGGED BY: K.V. DATE: JULY, 1988

SCALE: As shown Survey: I.MAT. Revised: Reference: Date: 27-8-88 REF. No. Drawn: N.W.D.S. Checked: AO-532-0161

NOTES: