




95-3732

ANNUAL REPORT
MICROFILMED
 FICHE No. 013631-32
 TASMANIAN BASE METALS PROJECT



EL 294

QUEEN RIVER

Vol 1 of 1

SEARCHED	
INDEXED	EL 2/94
SERIALIZED	- 2 JUN 1995
FILED	
SEE FOLIO 33	

HELD BY: RGC EXPLORATION

MANAGER & OPERATOR: RGC EXPLORATION

AUTHOR(s): MICHAEL VICARY, SUE CORLETT^J

31 May, 1995

PROSPECTS: MINERS RIDGE

MAP SHEETS: 1:25,000: OWEN, STRAHAN

1:100,000: FRANKLIN

GEOGRAPHIC COORDS Min East: 375000mE
Min North: 5328000mNMax East: 381000mE
Max North: 5337000mN

COMMODITY(s): Cu, Au, Zn, Pb, Ag

KEY WORDS: Queen River, Miners Ridge, Yolande River Sequence,

Distribution:

- o RGC Exploration Information Centre Reference:
- o RGC Exploration - Zeehan
- Department of Industry, Safety and Mines

95-3732

TAS BASE METALS PROJECT EL 2/94
 QUEEN RIVER 1VOL RGC
 VICARY, M J CORLETT, S

SUMMARY

EL 2/94 - Queen River is located 5km south of Queenstown in western Tasmania and was acquired for its potential to host Prince Lyell style Cu - Au and Rosebery style Zn - Pb - Au - Ag mineralisation.

In the first year of tenure, exploration of EL 2/94 consisted in the evaluation of a magnetic anomaly. A grid was established in the Miners Ridge area and a soil and rock chip sampling program completed. The grid was mapped at 1:5000 scale. The Yolande Sequence outcrops extensively in this area. It is fault bound to the east against the Miners Ridge Sequence and to the south west against Siluro-Devonian siliclastics of the Eldon Group. In early 1995, a regional helimag program was flown across all RGC leases in western Tasmania including EL 2/94. The helimag data has been utilised to define geological boundaries and faults in areas of poor exposure.

In all, five hundred and seventy soil samples were collected by hand auger. Lead and zinc results average close to 40ppm, whilst copper and gold values are low. Two anomalous samples elevated in copper and gold have been resubmitted for assay. Of the fifteen rock chip samples collected, all had low base metal contents.

Geophysical modelling of the magnetic target has been planned for the next term. It is anticipated further evaluation of soil geochemistry will elucidate targets for IP work.

CONTENTS

	Page No.
SUMMARY	I
1. INTRODUCTION	1
2. LAND TENURE	1
3. PREVIOUS EXPLORATION	2
4. WORK COMPLETED	
4.1 Gridding	3
4.2 Mapping	3
4.3 Soil Survey	3
4.4 Rock Chip Sampling	3
4.5 Helimag Survey	3
5. RESULTS	
5.1 Geological Mapping	4
5.1.1 Miners Ridge Grid	4
5.1.2 Additional Mapping in EL 2/94	5
5.2 Soil Survey	6
5.3 Rock Chip Sampling	7
5.4 Helimag Survey	7
6. RECOMMENDATIONS	8
7. REFERENCES	9

LIST OF PLANS AND FIGURES

		Drg. ID	Scale
FIGURE 1	Locality Map	5534/001	1:250 000
FIGURE 2	Queen River Grid - Soil Geochemistry. Base Metal Distribution		
FIGURE 3	Reconnaissance Mapping - Lynchford Area		1: 5 000
PLAN 1	Miners Ridge Grid - Geological Interpretation	2314/001	1:5 000
PLAN 2	Miners Ridge Grid - Outcrop Map	2314/002	1:5 000
PLAN 3	"Jukes - Darwin, MRVMP Map 13" - Total Magnetic Contours	5534/012	1:25 000
PLAN 4	Soil Sample Locations	5534/001	1:5 000
TABLE 1	Summary of Previous Exploration		
TABLE 2	Miners Ridge Soils - Element Abundances.		

LIST OF APPENDICES

APPENDIX 1	Soil Geochemistry - Miners Ridge Grid
-------------------	---------------------------------------

1. INTRODUCTION


E.L. 2/94 - Queen River is held by Renison Ltd and explored by RGC Exploration (RGCE), both wholly owned subsidiaries of RGC Limited. The licence was granted on June 24, 1994 as the result of a successful tender application for ETA's 322 and 346. The tenement is situated about 5 km south of Queenstown in western Tasmania, and has an area of 22 sq km (Fig. 1.).

E.L. 2/94 was acquired for its potential to contain Prince Lyell - style Cu - Au mineralisation and to a lesser extent for Rosebery - style Zn - Pb - Au -Ag mineralisation. At the Garfield Prospect in EL 102/87 a zone of disseminated and veinlet style chalcopyrite mineralisation has been discovered and occurs within hornblende phytic andesites. The mineralisation has a distinct magnetic signature and is readily discernible on the 1981 Mines Department aeromagnetic survey of western Tasmania (Leaman, 1986). By applying knowledge gained from the Garfield Prospect on a regional basis it became apparent that a similar magnetic signature existed in the Queen River area within a similar geological environment. Mines Department mapping in the area (Calver et al, 1987 and Corbett et al, 1993) indicates that the magnetic anomaly is to the west of a line of andesites that trend south from the Lynchford area. The source of the anomaly is not readily apparent as the anomaly is situated over generally non-magnetic Yolande River Sequence.

In the first year of tenure exploration in EL 2/94 consisted in the evaluation of the magnetic anomaly. A grid was established in the Queen River area and a soil and rock chip sampling program completed. The grid was mapped at 1:5000 scale. In early 1995 a regional helimag program across all RGC leases in western Tasmania included EL 2/94.

2. LAND TENURE

The area comprises: Crown Land, State Forest (Multiple Use Forest Land and Deferred Forest Land), Private Property and Land Vested in the HEC. The area contains parts of the South West Tasmania; Australian Heritage Commission Act; Registered Entry.



E.L. 2/94
QUEEN RIVER

5 cm

EXCLUSIONS
TO E.L. 12/92

RGC EXPLORATION PTY. LTD.

COMPILED	M.O.W	<p>E.L. 2/94 QUEEN RIVER</p> <p>LOCATION PLAN</p>
DRAWN	M.O.W	
DATE	7/82	
CHECKED	M.J.F	
1:25000 REF.		
DRAWING ID. 5532/147		SCALE 1:250 000
		FIG. 1

3. PREVIOUS EXPLORATION

Initial exploration in this area was carried out by Pickands Mather International in 1966-1967. Gridding of the Lynch Creek area followed the detection of a drainage anomaly in Lynch Creek. Subsequent soil geochemistry isolated Pb and Cu anomalies that failed to respond to both ground magnetics and an electromagnetic survey.

Cyprus Mining Corporation (EL 4770:1971-72) cut a new grid in the Lynch Creek - King River Mine area. Detailed geological mapping, soil geochemistry, ground magnetics and IP were carried out. No targets were isolated.

Renison Goldfields Consolidated Ltd. (EL 9/66:1980-82) conducted a stream sediment program to the north of King River that did not yield anomalous results. A DIGHEM survey produced subtle anomalies that were not followed up. Two lines of IP were carried out over the King River Gold Mine.

Follow up of all stream sediment, DIGHEM and EM anomalies were conducted by CRA (EL 47/83:1986-89) and Aberfoyle-CRA JV (E.L. 47/83:1990-93). Stream sediment samples from Specimen Creek carried 3700 and 3400ppt Au. A value of 840ppb Au was obtained from selected dump material. Further gridding and soil geochemistry was carried out over the Specimen Creek, Jukes Road and the HEC tunnel. Cu-Zn anomalies were located over andesites.

A bulk-cyanide leach stream sediment survey was conducted over the southern part of the EL (Newell Ck and Thomas Currie Rivulet areas) and no significant anomalies were obtained.

Table 1. Summary of Previous Exploration.

E.L. NUMBER	COMPANY	TENURE
'	Pickands Mather International	'1966-67
'4770	Cyprus Mining Corporation	'1971-72
'9/66	Renison Goldfields Consolidated	'1980-82
'47/83	CRA	'1986-89
'47/83	Aberfoyle Resources-CRA J.V.	'1990-93

4. WORK COMPLETED

4.1 Gridding

A grid totalling 15 line Km was constructed in the Queen River area in September to October 1994. There are 8 east-west lines at 200m apart with pegs at every 25m interval. GPS was used to provide accurate control points for each line prior to cutting. The grid was surveyed by tape and compass with additional GPS control points.

4.2 Mapping

The grid was mapped at a scale of 1:2500 and was compiled at a scale of 1:5000. The basemap was produced from digital data obtained from the Lands Department for the 1:25 000 Strahan (3633) and Owen (3833) maps.

4.3 Soil Survey

Five hundred and seventy seven soil samples were collected by hand auger from the grid. They were analysed for Cu, Pb, Zn, Mn, V and Au by Analabs. Standards were routinely analysed every 20 to 25 samples.

4.4 Rock Chip Sampling

Fifteen rock chip samples were collected from the grid during mapping. An additional 3 samples were collected during reconnaissance mapping in the Lynchford area. All samples were analysed for Cu, Pb, Zn, Ag, and Mn by AAS by Analabs, and Au and suite of 28 elements by Neutron Activation Analysis by Becquerel.

4.5 Helimag Survey

In February 1995, a regional helimag program was carried out across all RGC leases in Western Tasmania. The survey was conducted by Universal Tracking Systems (UTS) with a line spacing of 100m and a ground clearance of 30m. The system employed a stinger-mounted sensor attached to the front of the helicopter. The helicopter was equipped with a GPS navigation system. GPS base stations connected to UHF radio beacons communicated with the helicopter to provide real-time corrected differential GPS locations for the survey. The locational accuracy should be +/-3m and the frequency of data collection is equivalent to one reading every 3m. The data has been presented as a series of magnetic contour plans at 1:10,000 scale. To simplify the flight line pattern, with the approval of Aberfoyle Resources, the survey flew over the bottom 2 sq.km. of EL 47/83.

5. RESULTS

5.1 GEOLOGICAL MAPPING

5.1.1 Miners Ridge Grid

Yolande River Sequence

The Yolande River Sequence crops out extensively in the Miners Ridge Grid area. It is fault bounded to the east against the Miners Ridge Sequence and to the south west against Siluro-Devonian siliciclastics, the Eldon Group. The interpreted geology of the Miners Ridge Grid is given on Plan 1 and the outcrop map on Plan 2. The interpretation is based largely on 1:2500 geological mapping with extensive use of the Heilimag data to define boundaries and faults in poorly exposed areas.

The major geological units within the Yolande River Sequence are:-

Feldspar phyrlic volcanoclastic sediments (Cys)

This is the most extensive unit in the Yolande River Sequence. It consists of fine - medium grained feldspar phyrlic volcanoclastic sandstones with interbedded black - cream siltstones and minor feldspar - quartz phyrlic volcanoclastic sandstones. Interbedded mass flow breccias and siltstones are well exposed on the powerline road to the west of a small body of andesite. A mappable black siltstone horizon (Cyss) has been identified in the north of the grid.

Greywacke (Cyg)

Fine - medium grained grey micaceous siltstone and sandstone crop out on the southern end of the powerline road. It may be locally interbedded with lithologies from the Cys unit. In the western part of the grid the outcrop distribution of the greywacke and the Cys unit defines a complex fold pattern. A lack of facing directions in each sequence prevents precise stratigraphic relationships being determined, but it appears that the greywacke is both underlain and overlain by feldspar phyrlic volcanoclastic sediments. A major plunging fold shaped unit of Cys to the west of the powerline road has a poorly defined basal unit of quartz-feldspar crystal rich volcanoclastic sandstone. This unit most likely overlies the greywacke sequence. Near the Lynchford Road, feldspar phyrlic volcanoclastic sandstones and siltstones commonly dip underneath the greywacke and may be a stratigraphically lower unit.

Andesite (Ca)

A small intrusive(?) body of feldspar-hornblende andesite was mapped on a side track to the main powerline road on grid line 3600N. The rock is extremely fresh and massive, although it may be brecciated. The eastern margin of the body is highly sheared and sericitic alteration with base metal poor sulphide veins (Samples T46309, T46310) were located during mapping. It is most likely a faulted contact.

Interbedded feldspar phyric lavas and volcanoclastics (Cysa)

A complex zone of interbedded feldspar phyric lavas(?) and fine to medium grained feldspar phyric volcanoclastics sandstones with minor black siltstone was mapped to the north east of the andesite body. Mapping was not at detailed enough scale to fully resolve the internal structure within this unit. The proximity of the feldspar phyric lavas(?) to the andesite implies a close relationship, however there is a distinct lack of large euhedral hornblende crystals in the lavas.

Miners Ridge Sequence








The fault bounded Miners Ridge Sequence occurs to the east of the Yolande River Sequence. The major lithologies within the sequence are:-

- 1) Miners Ridge Sandstone - a quartz-rich sandstone characterised by high Cr levels,
- 2) Miners Ridge Basalt - hematite-chlorite-epidote altered tholeiitic basalt, and
- 3) Interbedded micaceous sandstone and siltstone. This unit is hard to distinguish from the greywacke unit within the Yolande River Sequence. It is gradational into the Miners Ridge Sandstone.

5.1.2 Additional Mapping in EL 2/94

The results of reconnaissance geological mapping in the Lynchford area are presented on fig. 2. In the south of the mapped area the dominant lithology is Yolande River Sequence ashy siltstones with minor feldspar phyric volcanoclastic sandstone and micaceous siltstone. A unit of columnar jointed to massive and brecciated feldspar phyric porphyry (lava?) was mapped and appears to be offset along a NE-SW trending fault. It is very similar in lithology to the Central Volcanic Sequence and may be similar to feldspar phyric lavas that are spatially associated with hornblende - andesite in the Garfield area, where they occur as conformable sills or flows within Yolande River Sequence rock types.

In the north of the mapped area the geological relationships are uncertain. Several outcrops of chloritic andesitic volcanoclastic sandstones were mapped to the east of



the loop road. They are strongly magnetic and represent the along strike continuation of the Lynchford Tuff correlate of the Tyndall Group.

Medium to coarse grained pyroxene-feldspar-biotite phyric gabbro/pyroxenite was mapped on the Lynchford Road at the "Futures Park" lookout. The significance of the rock is not known as it represents a phase of magmatism atypical of the Mount Read Volcanics. A possible origin is that it is a cumulate phase of the Lynch Creek Basalt and Tony Crawford (pers comm) stated that it may be similar to some strange Suite III rocks that "Johnny Everard" sampled at Madam Howards Plains to the west of the Penghana Prospect.

5.2 SOIL SURVEY

The results of the Miners Ridge soil sampling program are tabulated in Appendix 1, summarised by table 1 and shown on figure 2.

Figure 2 illustrates the geochemical distribution patterns for V, Cu, Pb, Zn, Mn and Au across the Miners Ridge Grid. A geochemically distinct unit occurs on the eastern edge of the grid, characterised by elevated vanadium, manganese and zinc. Results from geological mapping on the eastern portion of the grid suggests a correlation with micaceous sandstones of the Miners Ridge Sequence. Insufficient elements have been analysed to further discriminate litho-geochemical groups.

Table 2. Miners Ridge Soils: Cu, Pb, Zn, Mn, V, and Au abundances (577 samples)

	Max.	Min.	Mean	Comments
Cu (ppm)	3601	3	103	2nd highest value, 441ppm
Pb (ppm)	473	-5 (D.L)	43	
Zn (ppm)	485	2	42	
Mn (ppm)	3090	4	160	
V (ppm)	774	-5 (D.L)	145	
Au (ppm)	5.23	-0.008 (D.L)		most samples below detection

Mean lead and zinc values were close to 40ppm with both peaking at 473ppm and 485ppm respectively. Although average copper values were close to 100ppm, this trend was punctuated by one assay at 3601ppm. The bulk of gold assays were below detection, however one sample returned a value of 5.2ppm Au. Samples anomalous in copper and gold have been resubmitted for check assaying.

5.3 ROCK CHIP SAMPLING

5.3.1 Miners Ridge Grid

Fifteen rock chip samples were collected from the Miners Ridge Grid during mapping. Results are presented in Appendix 2. Samples T46309 and T46310 are of pyrite veining in sericitic feldspar phyric lava and volcanoclastic sandstone from the fault zone on the east side of the andesite body. They contain elevated barium contents of about 6500 ppm but have only low to moderate base metal contents.

Samples T46302, 308, 311, 312 and 314 are of ironstone / ferricrete. They have variable base metal contents up to 252 ppm Cu, 339 ppm Pb, 255 ppm Zn, 3018 ppm Mn and 408 ppm As, but only have low barium contents less than 210 ppm.

Samples T46304, 305 and 307 are feldspar phyric dacitic lavas that are interbedded with Yolande River Sequence sediments to the north east of the andesite body. They have (La/Yb)_n ratios that range from 8.8 to 31.2. Such values are equivalent to Suite II and III rocks within the Mount Read Volcanics (Crawford et al, 1992). Sample T46305 with the extreme light rare earth (LRE) enrichment also has elevated La, Ce, Eu, Sm and Th contents. A sample of the hornblende - feldspar phyric andesite (T46315) has a (La/Yb)_n ratio of 31.2 and is also similar to suite II and III rocks.

5.3.2 Lynchford area.

Three rock chip samples were collected from the Lynchford area during reconnaissance mapping. Results are presented in Appendix 2.

Sample T46317 was described in the field as a strongly magnetic crystal rich volcanoclastic sandstone or an equigranular dolerite. It has very high Ce, La, Sm and Th contents and a (La/Yb)_n ratio of about 73. This is more LRE enriched than most suite II and III from the Mount Read Volcanics.

Sample T46318 is a coarse grained pyroxene-feldspar-biotite gabbro. It has a (La/Yb)_n ratio of about 44 and also is more LRE enriched than most suite II and III rocks from the Mount Read Volcanics. It has an extremely high Cr value of 1910 ppm. This may be due to the rock being a primitive melt derived from a peridotite mantle source. Alternatively, the high Cr may reflect pyroxene accumulation.

5.4 HELIMAG SURVEY

Plan 3 details the magnetic response over the Miners Ridge area. On the surface overlying the prominent magnetic feature west of Miners Ridge there is a feldspar phyric volcanic sandstone. This unit cannot account for the magnetic response, unless it contained detrital magnetite that has been weathered out on the surface

exposures. However the shape and profile of the magnetic anomaly suggests that it is related to a deeper magnetic source that has no surface expression.

6. RECOMMENDATIONS

The Miners Ridge grid has now been tested by helimag, rock chip sampling and a soil survey. Low base metal values were obtained with anomalous copper and gold values resulting from two soil samples. These anomalies will be evaluated subsequent to re-assay. The exploration program to date has generated no targets worthy of follow up diamond drilling. The prominent magnetic anomaly will be modelled to get an indication of its depth. An IP survey will be conducted across this feature before deciding whether or not to drill it. A prominent magnetic feature 500m north of EL2/94, within ETA 378 (formerly EL 43/87), looks like a more interesting target and if RGC's tender for this block is successful, the Miners Ridge Grid will be extended northwards to test this feature.

7. REFERENCES

- Calver C.R., Baillie P.W., Everard J.L., Seymour D.B., Williams P.R., Forsyth S.M., Turner N.J., and Williams E. 1987. Lyell - Geological Atlas 1:50 000 Series Sheet 8013N. Dept. of Mines, Tasmania.
- Corbett K.D., Pemberton J., and Vicary M.J. 1993. Map 13. Geology of the Mt. Jukes - Mt. Darwin area. Mount Read Volcanics Project. Dept. of Mines, Tasmania.
- Crawford A.J., Corbett K.D., and Everard J.L. 1992. Geochemistry of the Cambrian Volcanic-hosted Massive Sulfide-Rich Mount Read Volcanics, Tasmania, and some Tectonic Implications. Econ Geol. V87. pp597 - 619.
- Leaman D.E. 1986. Interpretation and Evaluation Report. 1981 West Tasmania aeromagnetic survey. Mt. Read Volcanics Project Geophysical Report 1.

APPENDIX 1

SOIL GEOCHEMISTRY

(Including rock chip samples: No's 46301 to 46318)

RGC Exploration Pty Ltd
GEOCHEM Data Management System
Project: TASMANIA

Sample	True easting	True northing	Cu ppm ANALAB GA140	Pb ppm ANALAB GA140	Zn ppm ANALAB GA140	ANALAB V ppm GA140	ANALAB Mn ppm GA140	Au ppm ANALAB 309
45718	379699.12	5333969.25	36.000	24.000	12.000	53.000	18.000	-0.008
45719	379724.15	5333969.25	27.000	36.000	9.000	49.000	11.000	-0.008
45720	379750.79	5333968.56	20.000	23.000	14.000	82.000	16.000	-0.008
45721	379775.35	5333968.04	11.000	6.000	6.000	24.000	18.000	-0.008
45722	379799.68	5333968.04	24.000	38.000	10.000	33.000	13.000	-0.008
45723	379823.09	5333969.08	12.000	6.000	24.000	60.000	91.000	-0.008
45724	379845.79	5333969.08	9.000	3.000	8.000	-5.000	17.000	-0.008
45726	379871.51	5333969.60	13.000	11.000	12.000	-5.000	15.000	-0.008
45727	379900.24	5333969.60	12.000	7.000	8.000	17.000	18.000	-0.008
45728	379924.57	5333970.30	10.000	9.000	8.000	7.000	14.000	-0.008
45729	379948.44	5333970.82	9.000	6.000	6.000	-5.000	18.000	-0.008
45730	379976.01	5333970.82	9.000	6.000	5.000	11.000	14.000	-0.008
45731	379999.65	5333970.82	4.000	4.000	15.000	38.000	18.000	-0.008
45732	380025.36	5333970.30	12.000	11.000	9.000	26.000	14.000	-0.008
45733	380049.23	5333970.82	38.000	25.000	89.000	301.000	513.000	-0.008
45734	380073.10	5333970.82	20.000	8.000	15.000	10.000	22.000	-0.008
45735	380099.28	5333969.60	15.000	14.000	11.000	14.000	19.000	0.013
45736	380124.77	5333970.99	60.000	8.000	64.000	267.000	597.000	-0.008
45737	380148.86	5333970.30	60.000	21.000	104.000	286.000	731.000	-0.008
45738	380177.13	5333971.69	17.000	10.000	121.000	417.000	585.000	-0.008
45739	380200.53	5333972.39	9.000	7.000	19.000	48.000	71.000	-0.008
45740	379675.95	5333968.56	24.000	37.000	35.000	184.000	79.000	-0.008
45741	379650.93	5333969.25	17.000	24.000	11.000	62.000	19.000	-0.008
45742	379624.98	5333969.78	17.000	15.000	6.000	23.000	22.000	-0.008
45743	379599.49	5333969.78	17.000	9.000	26.000	87.000	188.000	-0.008
45744	379573.31	5333969.78	9.000	10.000	22.000	75.000	126.000	-0.008
45745	379547.13	5333970.30	161.000	12.000	40.000	173.000	372.000	-0.008
45746	379521.64	5333970.30	76.000	44.000	37.000	134.000	258.000	-0.008
45747	379498.47	5333970.30	10.000	6.000	6.000	-5.000	24.000	-0.008
45748	379474.60	5333969.25	15.000	11.000	153.000	289.000	1309.000	-0.008
45749	379447.96	5333968.56	17.000	31.000	63.000	227.000	331.000	-0.008
45750	379421.77	5333968.56	18.000	22.000	16.000	61.000	56.000	-0.008
45751	379398.83	5333968.73	55.000	38.000	10.000	109.000	15.000	-0.008
45752	379374.27	5333968.73	8.000	14.000	39.000	125.000	133.000	-0.008
45753	379348.09	5333968.21	6.000	7.000	54.000	131.000	79.000	-0.008
45754	379323.53	5333967.69	3.000	4.000	5.000	203.000	10.000	-0.008
45755	379298.27	5333967.17	10.000	91.000	6.000	157.000	17.000	0.008
45756	379274.98	5333967.14	38.000	11.000	49.000	193.000	70.000	-0.008
45757	379247.53	5333966.64	12.000	8.000	52.000	94.000	78.000	-0.008
45758	379222.97	5333967.17	11.000	32.000	8.000	69.000	19.000	-0.008
45759	379198.41	5333967.17	5.000	5.000	15.000	54.000	17.000	-0.008
45760	379173.62	5333965.08	8.000	4.000	7.000	13.000	20.000	-0.008
45761	379148.59	5333965.08	9.000	18.000	9.000	88.000	21.000	-0.008
45762	379122.41	5333964.56	5.000	3.000	7.000	-5.000	20.000	-0.008
45763	379097.85	5333963.51	8.000	-3.000	8.000	-5.000	12.000	-0.008
45764	379074.45	5333963.51	10.000	29.000	17.000	117.000	20.000	-0.008
45765	379050.35	5333961.60	30.000	114.000	465.000	128.000	71.000	-0.008
45766	379023.47	5333961.08	36.000	47.000	34.000	163.000	60.000	-0.008
45767	378996.59	5333960.56	14.000	20.000	41.000	181.000	159.000	-0.008
45768	378972.03	5333961.60	20.000	12.000	77.000	203.000	211.000	-0.008
45769	378947.70	5333962.12	38.000	65.000	13.000	85.000	16.000	0.025
45770	378921.75	5333962.64	19.000	62.000	485.000	-5.000	5.000	-0.008
45771	378896.73	5333963.17	19.000	156.000	24.000	87.000	10.000	-0.008
45772	378868.69	5333963.17	8.000	13.000	11.000	5.000	13.000	-0.008
45773	378844.36	5333963.17	9.000	11.000	8.000	15.000	6.000	-0.008
45774	378819.80	5333964.03	61.000	73.000	34.000	79.000	17.000	-0.008
45775	378797.56	5333964.90	41.000	82.000	267.000	149.000	18.000	-0.008
45776	378771.84	5333964.90	89.000	35.000	85.000	251.000	249.000	-0.008
45777	378745.89	5333964.90	70.000	19.000	60.000	280.000	78.000	-0.008
45778	378722.02	5333965.25	28.000	32.000	23.000	148.000	21.000	-0.009
45779	378700.24	5333966.30	85.000	55.000	34.000	389.000	64.000	-0.008
45780	378672.21	5333966.12	128.000	61.000	193.000	325.000	126.000	-0.008
45781	378649.27	5333966.64	71.000	49.000	40.000	271.000	63.000	-0.008
45782	378624.01	5333965.95	28.000	40.000	15.000	107.000	31.000	-0.008
45783	378601.54	5333966.30	23.000	23.000	17.000	101.000	135.000	-0.008
45784	378578.13	5333966.30	29.000	31.000	19.000	118.000	67.000	-0.008
45785	378555.20	5333966.99	50.000	32.000	60.000	113.000	31.000	-0.008
45786	378529.01	5333966.99	136.000	37.000	91.000	113.000	329.000	-0.008
45787	378503.53	5333967.51	98.000	34.000	77.000	197.000	263.000	-0.008
45788	378479.43	5333967.51	51.000	32.000	45.000	89.000	166.000	-0.008
45789	378455.33	5333967.86	45.000	31.000	32.000	85.000	65.000	-0.008
45790	378429.15	5333967.86	59.000	38.000	91.000	97.000	83.000	-0.008
45791	378377.01	5333970.47	64.000	24.000	19.000	198.000	30.000	-0.009
45792	378352.92	5333963.17	55.000	13.000	52.000	320.000	564.000	-0.008
45793	378304.26	5333970.47	84.000	28.000	81.000	183.000	335.000	-0.008
45794	378283.64	5333970.47	75.000	52.000	54.000	194.000	116.000	-0.008
45795	378262.09	5333970.47	80.000	65.000	81.000	151.000	208.000	-0.008
45796	378233.59	5333972.39	83.000	40.000	78.000	272.000	721.000	-0.008

Laboratory: ANALAB ANALAB ANALAB ANALAB ANALAB ANALAB
Detection Limit: 5.000 5.000 5.000 5.000 3.000 0.008
Method: GA140 GA140

RGC Exploration Pty Ltd
GEOCHEM Data Management System
Project: TASMANTIA

Sample	True easting	True northing	Cu ppm ANALAB GA140	Pb ppm ANALAB GA140	Zn ppm ANALAB GA140	ANALAB V ppm GA140	ANALAB Mn ppm GA140	Au ppm ANALAB 309
45797	378207.87	5333969.60	74.000	52.000	79.000	234.000	450.000	-0.008
45798	378182.15	5333968.56	69.000	49.000	49.000	192.000	300.000	-0.008
45799	378154.58	5333970.47	98.000	34.000	51.000	265.000	195.000	-0.008
45800	378131.87	5333971.52	33.000	10.000	28.000	150.000	40.000	-0.008
46301	379075.37	5332621.41	105.000	325.000	297.000		152.000	-0.008
46302	379331.41	5332585.57	13.000	5.000	135.000		1142.000	-0.008
46303	379342.99	5332584.70	69.000	17.000	106.000		941.000	-0.008
46304	379570.76	5332999.42	44.000	144.000	111.000		519.000	-0.008
46305	379592.77	5332999.42	38.000	38.000	113.000		242.000	-0.008
46306	379938.81	5333205.53	59.000	-5.000	57.000		688.000	-0.008
46307	379555.00	5333201.39	15.000	28.000	44.000		156.000	-0.008
46308	379325.38	5333203.30	21.000	339.000	168.000		1264.000	-0.008
46309	379422.70	5333615.59	51.000	89.000	143.000		61.000	-0.008
46310	379422.70	5333615.59	46.000	118.000	136.000		118.000	-0.008
46311			152.000	27.000	255.000		3018.000	-0.008
46312	379636.56	5333802.25	252.000	53.000	123.000		1018.000	-0.008
46313	380115.50	5333970.47	29.000	-5.000	100.000		2129.000	-0.008
46314	380116.19	5333972.56	37.000	24.000	57.000		1578.000	-0.008
46315	379346.70	5333513.65	50.000	8.000	36.000		442.000	-0.008
46316	377760.00	5334530.00	-4.000	5.000	13.000		32.000	-0.008
46317	378000.00	5334765.00	159.000	-5.000	101.000		788.000	-0.008
46318	377828.00	5334975.00	6.000	-5.000	48.000		773.000	-0.008
46401	378107.08	5333972.39	34.000	26.000	20.000	115.000	40.000	-0.008
46402	378080.43	5333973.43	141.000	15.000	191.000	279.000	517.000	-0.008
46403	378055.64	5333974.30	76.000	48.000	72.000	170.000	518.000	-0.008
46404	378033.86	5333975.17	51.000	47.000	144.000	69.000	532.000	-0.008
46405	380145.39	5333816.34	72.000	14.000	73.000	316.000	500.000	-0.008
46406	380118.28	5333815.30	77.000	13.000	73.000	314.000	526.000	-0.008
46407	380052.94	5333811.99	23.000	9.000	48.000	184.000	416.000	-0.008
46408	380021.43	5333810.95	10.000	5.000	10.000	-5.000	33.000	-0.008
46409	379996.63	5333808.69	7.000	4.000	5.000	10.000	14.000	-0.008
46410	379971.38	5333808.17	12.000	7.000	7.000	5.000	10.000	-0.008
46411	379946.59	5333809.21	21.000	15.000	16.000	22.000	12.000	-0.008
46412	379923.18	5333809.56	6.000	6.000	20.000	7.000	56.000	-0.008
46413	379898.85	5333808.17	10.000	11.000	9.000	10.000	13.000	-0.008
46414	379873.60	5333809.04	15.000	13.000	8.000	6.000	8.000	-0.008
46415	379848.11	5333808.17	10.000	7.000	4.000	19.000	15.000	-0.008
46416	379823.78	5333807.64	40.000	44.000	49.000	126.000	285.000	-0.008
46417	379798.76	5333806.60	11.000	10.000	16.000	91.000	72.000	-0.008
46418	379774.20	5333804.69	38.000	22.000	30.000	62.000	117.000	-0.008
46419	379745.00	5333805.21	8.000	4.000	22.000	102.000	115.000	-0.008
46420	379721.37	5333804.16	15.000	14.000	24.000	139.000	120.000	-0.008
46421	379699.36	5333803.82	19.000	13.000	66.000	88.000	522.000	-0.008
46422	379675.72	5333803.99	42.000	15.000	127.000	180.000	427.000	-0.008
46423	379649.08	5333802.95	69.000	13.000	128.000	117.000	160.000	-0.008
46424	379626.14	5333802.43	42.000	39.000	21.000	59.000	21.000	-0.008
46426	379599.26	5333802.08	40.000	17.000	35.000	155.000	51.000	-0.008
46427	379572.15	5333800.51	26.000	18.000	35.000	221.000	142.000	-0.008
46428	379526.50	5333799.12	35.000	17.000	23.000	157.000	95.000	-0.008
46429	379472.98	5333799.47	36.000	25.000	23.000	88.000	95.000	-0.008
46430	379422.93	5333797.55	18.000	51.000	19.000	114.000	38.000	-0.008
46431	379399.53	5333796.68	23.000	16.000	35.000	134.000	30.000	-0.008
46432	379377.29	5333796.51	22.000	23.000	80.000	125.000	130.000	-0.008
46433	379352.26	5333797.03	11.000	33.000	24.000	160.000	23.000	-0.008
46434	379325.38	5333795.99	19.000	125.000	74.000	248.000	257.000	-0.008
46435	379299.43	5333795.99	22.000	35.000	36.000	209.000	105.000	-0.008
46436	379276.26	5333794.42	66.000	18.000	128.000	229.000	507.000	-0.008
46437	379250.77	5333794.08	326.000	48.000	50.000	77.000	89.000	-0.008
46438	379224.36	5333793.55	19.000	70.000	57.000	243.000	54.000	-0.008
46439	379177.32	5333793.55	31.000	20.000	85.000	179.000	265.000	-0.008
46440	379149.75	5333792.51	12.000	26.000	29.000	195.000	46.000	-0.008
46441	379123.34	5333792.51	3.000	6.000	24.000	242.000	29.000	-0.008
46442	379099.70	5333791.64	3.000	23.000	15.000	113.000	34.000	-0.008
46443	379076.53	5333791.12	127.000	24.000	69.000	94.000	69.000	-0.008
46444	379051.51	5333790.60	36.000	23.000	15.000	46.000	25.000	-0.008
46445	379026.48	5333789.73	72.000	36.000	124.000	163.000	288.000	-0.008
46446	379001.00	5333790.07	213.000	27.000	151.000	337.000	1095.000	-0.008
46447	378977.59	5333789.73	52.000	53.000	116.000	148.000	327.000	-0.008
46448	378951.18	5333789.73	36.000	22.000	25.000	58.000	39.000	-0.008
46449	378925.46	5333789.20	146.000	36.000	95.000	165.000	71.000	-0.008
46450	378901.59	5333789.73	17.000	205.000	47.000	180.000	76.000	-0.008
46451	378879.81	5333788.16	46.000	86.000	56.000	326.000	335.000	-0.008
46452	378853.40	5333787.64	35.000	14.000	25.000	212.000	70.000	-0.008
46453	378827.45	5333787.64	51.000	5.000	16.000	287.000	30.000	-0.008
46454	378801.03	5333786.25	20.000	10.000	12.000	82.000	31.000	-0.008
46455	378777.40	5333786.77	58.000	12.000	36.000	134.000	185.000	-0.008
46456	378751.45	5333787.29	115.000	57.000	123.000	177.000	215.000	-0.008
46457	378725.50	5333786.25	58.000	19.000	66.000	138.000	376.000	-0.008

Laboratory: ANALAB ANALAB ANALAB ANALAB ANALAB ANALAB
Detection Limit: 5.000 5.000 5.000 5.000 3.000 0.008
Method: GA140 GA140

Sample	True easting	True northing	Cu ppm ANALAB GA140	Pb ppm ANALAB GA140	Zn ppm ANALAB GA140	ANALAB V ppm GA140	ANALAB Mn ppm GA140	Au ppm ANALAB 309
46458	378703.02	5333786.25	43.000	36.000	32.000	219.000	153.000	-0.008
46459	378680.55	5333785.90	15.000	18.000	20.000	141.000	77.000	-0.008
46460	378655.99	5333785.90	38.000	21.000	59.000	178.000	531.000	-0.008
46461	378631.89	5333784.86	24.000	18.000	26.000	104.000	66.000	-0.008
46462	378605.01	5333785.90	21.000	17.000	25.000	83.000	38.000	-0.008
46463	378578.60	5333786.25	25.000	33.000	43.000	128.000	49.000	-0.008
46464	378553.57	5333786.77	13.000	11.000	37.000	118.000	39.000	-0.008
46465	378529.48	5333786.77	16.000	17.000	27.000	132.000	28.000	-0.008
46466	378505.38	5333787.29	19.000	15.000	21.000	59.000	26.000	-0.008
46467	378483.60	5333786.25	25.000	13.000	22.000	48.000	30.000	-0.008
46468	378459.04	5333785.20	71.000	22.000	78.000	137.000	276.000	-0.008
46469	378433.55	5333785.20	29.000	13.000	24.000	118.000	34.000	-0.008
46470	378406.21	5333784.68	27.000	12.000	27.000	68.000	27.000	-0.008
46471	378382.11	5333785.20	27.000	13.000	23.000	127.000	27.000	-0.008
46472	378357.09	5333783.29	38.000	14.000	21.000	304.000	26.000	-0.008
46473	378330.21	5333781.90	15.000	5.000	15.000	51.000	23.000	-0.008
46474	378305.65	5333781.90	40.000	22.000	16.000	149.000	24.000	-0.008
46476	378280.16	5333781.90	28.000	15.000	17.000	121.000	38.000	-0.008
46477	378252.13	5333781.38	24.000	34.000	42.000	161.000	114.000	-0.008
46478	378228.72	5333780.85	114.000	42.000	142.000	468.000	331.000	-0.008
46479	378204.16	5333780.85	115.000	64.000	76.000	447.000	222.000	-0.008
46480	378182.15	5333780.51	93.000	59.000	62.000	272.000	200.000	-0.008
46481	378158.52	5333779.98	47.000	51.000	32.000	167.000	50.000	-0.008
46482	378133.49	5333778.94	81.000	46.000	83.000	212.000	215.000	-0.008
46483	378109.16	5333779.46	54.000	50.000	38.000	112.000	148.000	-0.008
46484	378085.07	5333779.98	43.000	78.000	28.000	103.000	59.000	-0.008
46485	378060.51	5333779.98	46.000	19.000	58.000	191.000	384.000	-0.008
46486	378035.48	5333779.98	48.000	40.000	39.000	197.000	81.000	-0.008
46487	378011.70	5333606.37	45.000	34.000	34.000	195.000	120.000	-0.008
46488	378076.49	5333607.42	37.000	35.000	33.000	189.000	70.000	-0.008
46489	378104.07	5333607.42	59.000	36.000	48.000	226.000	229.000	-0.008
46490	378129.32	5333606.37	29.000	34.000	27.000	132.000	61.000	-0.008
46491	378153.65	5333606.89	47.000	40.000	35.000	201.000	56.000	-0.008
46492	378180.07	5333607.42	22.000	31.000	24.000	104.000	50.000	-0.008
46493	378204.16	5333606.37	10.000	11.000	16.000	43.000	39.000	-0.008
46494	378231.27	5333606.37	6.000	38.000	14.000	26.000	30.000	-0.008
46495	378256.06	5333606.37	10.000	26.000	14.000	62.000	30.000	-0.008
46496	378280.63	5333603.41	10.000	11.000	11.000	7.000	18.000	-0.008
46497	378304.26	5333602.89	52.000	31.000	37.000	177.000	49.000	-0.008
46498	378331.83	5333603.41	8.000	26.000	17.000	31.000	26.000	-0.008
46499	378357.32	5333604.11	12.000	10.000	19.000	42.000	35.000	-0.008
46500	378380.95	5333602.89	22.000	23.000	16.000	77.000	30.000	-0.008
46701	378403.20	5333602.37	27.000	23.000	21.000	110.000	44.000	-0.008
46702	378429.15	5333602.89	48.000	15.000	27.000	121.000	43.000	-0.008
46703	378452.78	5333603.41	26.000	25.000	23.000	126.000	52.000	-0.008
46704	378476.88	5333603.41	45.000	10.000	48.000	145.000	58.000	-0.008
46705	378501.67	5333604.11	40.000	11.000	20.000	168.000	29.000	-0.008
46706	378526.00	5333603.59	25.000	11.000	20.000	140.000	33.000	-0.008
46707	378552.65	5333604.28	12.000	7.000	64.000	141.000	218.000	-0.008
46708	378576.51	5333603.07	20.000	17.000	208.000	156.000	110.000	-0.008
46709	378601.54	5333602.54	75.000	8.000	76.000	175.000	157.000	-0.008
46710	378627.02	5333602.02	89.000	25.000	39.000	186.000	51.000	-0.008
46711	378650.43	5333601.33	28.000	14.000	21.000	111.000	43.000	-0.008
46712	378675.91	5333600.80	19.000	23.000	35.000	165.000	51.000	-0.008
46713	378700.94	5333600.28	21.000	13.000	122.000	141.000	77.000	-0.008
46714	378726.43	5333599.76	22.000	9.000	24.000	189.000	82.000	-0.008
46715	378751.45	5333599.07	13.000	9.000	22.000	153.000	84.000	-0.008
46716	378777.40	5333600.28	12.000	6.000	6.000	51.000	19.000	-0.008
46717	378800.11	5333599.07	14.000	8.000	9.000	52.000	18.000	-0.008
46718	378849.46	5333598.54	93.000	10.000	61.000	93.000	19.000	-0.008
46719	378874.02	5333599.76	8.000	3.000	5.000	11.000	11.000	-0.008
46720	378899.05	5333599.07	66.000	14.000	20.000	212.000	20.000	-0.008
46721	378924.53	5333600.46	9.000	-3.000	6.000	43.000	15.000	-0.008
46722	378947.70	5333600.46	45.000	73.000	26.000	370.000	64.000	-0.008
46723	378972.81	5333599.56	78.000	3.000	44.000	178.000	25.000	-0.008
46724	378999.84	5333600.46	22.000	10.000	20.000	50.000	31.000	-0.008
46726	379023.47	5333599.93	7.000	-3.000	11.000	52.000	25.000	-0.008
46727	379048.03	5333599.93	17.000	19.000	12.000	64.000	22.000	-0.008
46728	379073.75	5333598.72	38.000	76.000	36.000	279.000	24.000	-0.008
46729	379099.93	5333596.80	28.000	63.000	59.000	287.000	705.000	-0.008
46730	379124.50	5333596.28	49.000	52.000	40.000	224.000	93.000	-0.008
46731	379148.82	5333595.59	43.000	55.000	66.000	250.000	211.000	-0.008
46732	379173.39	5333595.06	61.000	85.000	23.000	214.000	32.000	-0.008
46733	379198.41	5333595.06	31.000	192.000	61.000	209.000	285.000	-0.008
46734	379222.97	5333594.37	37.000	132.000	56.000	270.000	270.000	-0.008
46735	379247.99	5333593.85	67.000	113.000	47.000	285.000	68.000	-0.008
46736	379273.48	5333594.37	49.000	76.000	28.000	196.000	25.000	-0.008
46737	379297.35	5333593.85	30.000	38.000	20.000	172.000	87.000	-0.008

Laboratory:	ANALAB	ANALAB	ANALAB	ANALAB	ANALAB	ANALAB
Detection Limit:	5.000	5.000	5.000	5.000	3.000	0.008
Method:				GA140	GA140	

Sample	True easting	True northing	Cu ppm ANALAB GA140	Pb ppm ANALAB GA140	Zn ppm ANALAB GA140	ANALAB V ppm GA140	ANALAB Mn ppm GA140	Au ppm ANALAB 309
46738	379346.01	5333593.67	20.000	11.000	15.000	127.000	23.000	-0.008
46739	379371.49	5333592.28	27.000	17.000	38.000	185.000	219.000	-0.008
46740	379397.44	5333592.98	29.000	22.000	32.000	193.000	62.000	-0.008
46741	379422.24	5333592.28	41.000	45.000	34.000	198.000	24.000	-0.008
46742	379445.87	5333594.19	10.000	6.000	10.000	141.000	7.000	-0.008
46743	379472.05	5333594.19	38.000	27.000	36.000	74.000	7.000	-0.008
46744	379498.24	5333594.19	15.000	9.000	11.000	71.000	11.000	-0.008
46745	379524.19	5333591.06	15.000	11.000	10.000	70.000	13.000	-0.008
46746	379549.67	5333590.54	14.000	10.000	7.000	96.000	14.000	-0.008
46747	379574.00	5333588.63	9.000	4.000	38.000	123.000	214.000	-0.008
46748	379597.64	5333586.71	44.000	7.000	25.000	73.000	82.000	-0.008
46749	379622.43	5333585.50	164.000	81.000	161.000	184.000	173.000	-0.008
46750	379647.22	5333584.28	31.000	35.000	35.000	201.000	88.000	-0.008
46751	379672.71	5333583.06	15.000	73.000	13.000	102.000	10.000	-0.008
46752	379696.81	5333582.36	40.000	39.000	60.000	155.000	28.000	-0.008
46753	379722.99	5333583.06	32.000	39.000	49.000	147.000	29.000	-0.008
46754	379748.94	5333583.58	31.000	34.000	64.000	16.000	12.000	-0.008
46755	379771.42	5333583.06	20.000	26.000	40.000	65.000	38.000	-0.008
46756	379795.51	5333583.58	21.000	29.000	26.000	91.000	12.000	-0.008
46757	379819.84	5333583.06	20.000	22.000	71.000	51.000	61.000	-0.008
46758	379844.63	5333581.84	16.000	14.000	41.000	14.000	14.000	-0.008
46759	379871.28	5333581.84	5.000	4.000	15.000	8.000	10.000	-0.008
46760	379895.61	5333582.36	15.000	23.000	14.000	24.000	15.000	-0.008
46761	379921.10	5333579.93	8.000	6.000	26.000	22.000	17.000	-0.008
46762	379945.89	5333578.71	5.000	10.000	21.000	36.000	12.000	-0.008
46763	379972.54	5333574.88	7.000	4.000	54.000	8.000	16.000	-0.008
46764	379996.17	5333573.67	8.000	-3.000	24.000	6.000	16.000	-0.008
46765	380021.19	5333573.67	8.000	5.000	20.000	8.000	15.000	-0.008
46766	380045.99	5333572.45	10.000	4.000	15.000	16.000	29.000	-0.008
46767	380069.62	5333572.45	35.000	9.000	62.000	145.000	520.000	-0.008
46768	380015.17	5333430.67	19.000	38.000	27.000	192.000	348.000	0.012
46769	379988.99	5333430.67	14.000	19.000	51.000	52.000	71.000	-0.008
46770	379968.60	5333431.19	15.000	16.000	14.000	17.000	30.000	0.029
46771	379942.88	5333429.80	30.000	21.000	13.000	17.000	25.000	0.009
46772	379916.46	5333429.80	7.000	11.000	10.000	11.000	24.000	-0.008
46773	379890.05	5333429.28	27.000	14.000	19.000	9.000	28.000	-0.008
46774	379865.02	5333429.80	9.000	9.000	10.000	13.000	23.000	-0.008
46776	379840.00	5333430.32	15.000	44.000	101.000	67.000	20.000	-0.008
46777	379814.51	5333429.28	7.000	30.000	12.000	19.000	21.000	-0.008
46778	379789.72	5333426.76	16.000	20.000	22.000	17.000	37.000	-0.008
46779	379767.01	5333428.93	18.000	22.000	19.000	35.000	41.000	-0.008
46780	379740.60	5333429.45	21.000	33.000	68.000	33.000	51.000	-0.008
46781	379715.58	5333429.45	16.000	28.000	45.000	21.000	93.000	-0.008
46782	379689.16	5333429.98	10.000	11.000	18.000	11.000	17.000	-0.008
46783	379665.06	5333430.50	32.000	41.000	41.000	18.000	52.000	5.230
46784	379638.19	5333428.58	51.000	197.000	34.000	137.000	50.000	-0.008
46785	379615.01	5333427.02	27.000	61.000	15.000	124.000	24.000	-0.008
46786	379590.92	5333425.63	55.000	47.000	31.000	257.000	101.000	-0.008
46787	379567.28	5333424.93	23.000	30.000	12.000	192.000	26.000	-0.008
46788	379540.87	5333425.45	56.000	234.000	22.000	200.000	35.000	-0.008
46789	379518.16	5333425.97	40.000	162.000	39.000	226.000	165.000	-0.008
46790	379491.28	5333425.45	32.000	117.000	35.000	183.000	72.000	-0.008
46791	379463.94	5333425.45	22.000	314.000	27.000	70.000	53.000	0.016
46792	379442.16	5333422.49	79.000	80.000	67.000	265.000	166.000	-0.008
46793	379415.75	5333423.54	27.000	72.000	17.000	176.000	65.000	-0.008
46794	379392.81	5333422.49	83.000	473.000	71.000	393.000	211.000	-0.008
46795	379370.10	5333423.02	45.000	132.000	48.000	256.000	186.000	-0.008
46797	379347.63	5333423.02	55.000	199.000	92.000	279.000	611.000	-0.008
46798	379318.20	5333422.49	72.000	51.000	40.000	258.000	110.000	-0.008
46799	379294.10	5333421.45	85.000	52.000	59.000	197.000	24.000	-0.008
46800	379269.31	5333421.63	38.000	61.000	23.000	174.000	45.000	-0.008
47001	379244.75	5333419.19	32.000	42.000	15.000	170.000	46.000	-0.008
47002	379220.88	5333417.80	23.000	25.000	7.000	77.000	29.000	0.013
47003	379196.32	5333417.80	13.000	8.000	12.000	12.000	41.000	-0.008
47004	379172.23	5333415.71	29.000	23.000	26.000	68.000	25.000	-0.008
47005	379148.13	5333415.36	24.000	18.000	7.000	73.000	21.000	-0.008
47006	379122.64	5333414.84	18.000	14.000	9.000	39.000	31.000	-0.008
47007	379097.15	5333412.41	37.000	36.000	19.000	177.000	35.000	-0.008
47008	379073.75	5333409.45	11.000	13.000	8.000	53.000	25.000	-0.008
47009	379048.03	5333407.88	19.000	21.000	89.000	188.000	142.000	-0.008
47010	379024.17	5333407.01	35.000	20.000	54.000	182.000	113.000	0.008
47011	378998.68	5333405.45	9.000	10.000	12.000	128.000	28.000	-0.008
47012	378978.75	5333404.58	12.000	17.000	43.000	208.000	88.000	-0.008
47013	378955.35	5333403.01	17.000	18.000	13.000	97.000	24.000	-0.008
47014	378928.94	5333401.62	13.000	15.000	13.000	39.000	26.000	-0.008
47016	378903.22	5333400.05	39.000	84.000	64.000	97.000	31.000	0.009
47017	378880.28	5333399.18	8.000	7.000	11.000	37.000	35.000	-0.008
47018	378853.86	5333398.66	19.000	10.000	13.000	33.000	37.000	-0.008

Laboratory: ANALAB ANALAB ANALAB ANALAB ANALAB ANALAB
 Detection Limit: 5.000 5.000 5.000 5.000 3.000 0.008
 Method: GA140 GA140

Sample	True easting	True northing	Cu ppm ANALAB GA140	Pb ppm ANALAB GA140	Zn ppm ANALAB GA140	ANALAB V ppm GA140	ANALAB Mn ppm GA140	Au ppm ANALAB 309
47019	378827.22	5333398.14	7.000	-3.000	8.000	18.000	38.000	-0.008
47020	378799.88	5333397.62	54.000	41.000	20.000	277.000	27.000	-0.008
47021	378778.33	5333398.66	12.000	7.000	9.000	28.000	22.000	-0.008
47022	378750.29	5333398.66	61.000	19.000	14.000	151.000	26.000	-0.008
47023	378726.66	5333398.66	12.000	8.000	6.000	31.000	29.000	-0.008
47024	378701.17	5333398.14	14.000	8.000	8.000	32.000	29.000	-0.008
47025	378680.08	5333397.62	12.000	11.000	6.000	30.000	41.000	-0.008
47026	378655.76	5333397.62	25.000	69.000	21.000	237.000	96.000	0.010
47027	378630.73	5333398.14	25.000	28.000	9.000	90.000	35.000	0.009
47028	378601.77	5333398.14	33.000	23.000	15.000	93.000	50.000	0.008
47029	378576.28	5333398.14	14.000	19.000	19.000	168.000	56.000	-0.008
47030	378549.63	5333397.62	20.000	22.000	29.000	124.000	91.000	-0.008
47031	378526.23	5333397.10	17.000	27.000	24.000	161.000	45.000	-0.008
47032	378500.51	5333398.14	15.000	27.000	27.000	183.000	53.000	-0.008
47033	378474.56	5333396.57	74.000	28.000	82.000	182.000	90.000	-0.008
47034	378449.07	5333395.70	17.000	12.000	54.000	174.000	98.000	-0.008
47036	378425.67	5333395.70	24.000	24.000	18.000	143.000	49.000	0.008
47037	378402.04	5333395.70	23.000	25.000	21.000	140.000	33.000	-0.008
47038	378378.40	5333396.23	27.000	25.000	14.000	157.000	23.000	-0.008
47039	378353.84	5333395.70	25.000	24.000	15.000	119.000	18.000	-0.008
47040	378328.36	5333394.14	21.000	20.000	20.000	156.000	45.000	-0.008
47041	378300.78	5333394.14	25.000	21.000	29.000	170.000	56.000	-0.008
47042	378279.70	5333392.75	23.000	38.000	39.000	144.000	62.000	-0.008
47043	378254.67	5333391.18	26.000	29.000	26.000	148.000	38.000	-0.008
47044	378227.80	5333391.18	28.000	29.000	26.000	163.000	46.000	0.009
47045	378201.85	5333392.75	37.000	35.000	18.000	221.000	22.000	-0.008
47046	378178.21	5333391.70	31.000	31.000	15.000	169.000	21.000	-0.008
47047	378155.27	5333391.18	38.000	30.000	31.000	185.000	64.000	-0.008
47048	378130.25	5333390.83	16.000	23.000	15.000	100.000	37.000	-0.008
47049	378104.07	5333390.31	48.000	62.000	15.000	193.000	94.000	0.010
47050	379021.15	5333201.39	26.000	29.000	14.000	99.000	40.000	-0.008
47051	378999.61	5333201.39	13.000	29.000	20.000	147.000	56.000	-0.008
47052	378975.05	5333203.30	15.000	15.000	36.000	164.000	92.000	-0.008
47053	378946.55	5333203.30	16.000	23.000	22.000	127.000	39.000	-0.008
47054	378923.61	5333204.35	20.000	16.000	42.000	186.000	96.000	-0.008
47055	378899.97	5333204.87	10.000	6.000	8.000	20.000	38.000	-0.008
47056	378878.66	5333205.22	38.000	27.000	42.000	148.000	25.000	0.009
47057	378855.02	5333205.74	13.000	14.000	10.000	73.000	17.000	-0.008
47058	378830.00	5333206.78	25.000	32.000	29.000	339.000	116.000	-0.008
47059	378800.57	5333206.78	14.000	18.000	10.000	178.000	35.000	-0.008
47060	378777.17	5333206.26	48.000	26.000	18.000	230.000	65.000	-0.008
47061	378751.68	5333207.65	9.000	7.000	18.000	35.000	35.000	-0.008
47062	378724.57	5333209.22	7.000	7.000	4.000	26.000	35.000	-0.008
47063	378701.17	5333211.65	8.000	10.000	2.000	35.000	24.000	-0.008
47064	378674.06	5333212.18	22.000	20.000	8.000	167.000	29.000	-0.008
47066	378646.72	5333214.09	25.000	5.000	18.000	11.000	25.000	-0.008
47067	378622.62	5333216.00	35.000	18.000	16.000	67.000	53.000	-0.008
47068	378600.15	5333217.57	23.000	13.000	27.000	46.000	71.000	-0.008
47069	378576.98	5333220.00	14.000	16.000	10.000	53.000	45.000	-0.008
47070	378552.42	5333221.05	26.000	22.000	18.000	141.000	39.000	0.014
47071	378528.32	5333221.57	28.000	27.000	44.000	186.000	59.000	-0.008
47072	378500.98	5333223.48	15.000	17.000	19.000	133.000	34.000	-0.008
47073	378478.96	5333222.96	25.000	18.000	44.000	156.000	89.000	-0.008
47074	378451.86	5333223.48	27.000	19.000	24.000	149.000	42.000	-0.008
47075	378425.44	5333223.48	30.000	26.000	27.000	116.000	60.000	-0.008
47076	378402.27	5333223.48	31.000	21.000	26.000	146.000	28.000	0.009
47077	378379.79	5333224.01	35.000	23.000	25.000	173.000	45.000	-0.008
47078	378356.62	5333225.40	22.000	20.000	14.000	127.000	29.000	-0.008
47079	378332.76	5333224.01	49.000	25.000	38.000	130.000	48.000	-0.008
47080	378310.05	5333225.40	75.000	30.000	59.000	227.000	83.000	-0.008
47081	378289.66	5333225.92	78.000	40.000	58.000	158.000	212.000	-0.008
47082	378266.95	5333224.53	44.000	20.000	72.000	111.000	427.000	-0.008
47083	378245.87	5333222.09	27.000	21.000	36.000	44.000	481.000	-0.008
47084	378221.31	5333219.48	43.000	30.000	62.000	151.000	245.000	-0.008
47086	379045.72	5333200.35	21.000	7.000	20.000	74.000	39.000	-0.008
47087	379074.22	5333200.00	31.000	21.000	30.000	96.000	52.000	-0.008
47088	379100.63	5333200.35	10.000	10.000	4.000	7.000	14.000	-0.008
47089	379127.51	5333200.35	19.000	11.000	11.000	68.000	27.000	-0.008
47090	379153.46	5333200.00	10.000	8.000	4.000	5.000	21.000	-0.008
47091	379179.18	5333201.39	13.000	15.000	40.000	111.000	91.000	-0.008
47092	379200.73	5333203.30	10.000	6.000	2.000	-5.000	10.000	-0.008
47093	379230.15	5333203.83	18.000	13.000	6.000	64.000	16.000	-0.008
47094	379254.48	5333204.87	9.000	8.000	8.000	8.000	11.000	-0.008
47095	379278.58	5333204.35	23.000	61.000	33.000	162.000	63.000	-0.008
47096	379299.90	5333204.87	25.000	37.000	19.000	127.000	32.000	-0.008
47097	379322.14	5333203.83	22.000	26.000	20.000	27.000	35.000	-0.008
47098	379348.09	5333203.30	9.000	3.000	4.000	-5.000	50.000	-0.008
47099	379374.51	5333203.83	30.000	136.000	26.000	74.000	16.000	0.029

Laboratory: ANALAB ANALAB ANALAB ANALAB ANALAB ANALAB
 Detection Limit: 5.000 5.000 5.000 5.000 3.000 0.008
 Method: GA140 GA140

Sample	True easting	True northing	Cu ppm ANALAB GA140	Pb ppm ANALAB GA140	Zn ppm ANALAB GA140	ANALAB V ppm GA140	ANALAB Mn ppm GA140	Au ppm ANALAB 309
47100	379399.30	5333202.96	13.000	82.000	18.000	51.000	16.000	-0.008
47501	379423.86	5333202.43	10.000	29.000	11.000	50.000	12.000	-0.008
47502	379445.87	5333202.43	20.000	100.000	12.000	67.000	17.000	-0.008
47503	379471.82	5333199.48	15.000	88.000	12.000	146.000	20.000	-0.008
47504	379498.24	5333200.52	18.000	36.000	50.000	20.000	28.000	-0.008
47505	379523.72	5333200.52	3601.000			7.000	300.000	0.580
47506	379548.28	5333201.39	10.000	10.000	34.000	-5.000	4.000	-0.008
47507	379571.22	5333200.52	11.000	42.000	47.000	10.000	82.000	-0.008
47508	379595.32	5333200.00	11.000	17.000	18.000	21.000	19.000	-0.008
47509	379620.58	5333199.65	13.000	20.000	57.000	21.000	17.000	-0.008
47510	379644.67	5333198.78	13.000	34.000	30.000	11.000	14.000	-0.008
47511	379670.86	5333200.00	22.000	40.000	40.000	20.000	53.000	-0.008
47512	379694.49	5333200.87	24.000	88.000	61.000	60.000	235.000	-0.008
47513	379721.14	5333202.61	26.000	27.000	56.000	93.000	480.000	-0.008
47514	379747.32	5333204.00	91.000	39.000	59.000	265.000	294.000	-0.008
47515	379773.50	5333202.61	61.000	28.000	50.000	253.000	237.000	-0.008
47516	379797.83	5333202.43	70.000	20.000	65.000	239.000	545.000	-0.008
47517	379825.40	5333203.30	61.000	14.000	93.000	234.000	970.000	-0.008
47518	379850.43	5333203.83	69.000	23.000	117.000	272.000	1266.000	-0.008
47519	379876.15	5333203.83	58.000	28.000	54.000	234.000	241.000	-0.008
47520	379948.67	5333206.44	52.000	10.000	76.000	225.000	1226.000	-0.008
47521	379925.27	5333205.22	70.000	31.000	35.000	178.000	219.000	-0.008
47522	379946.88	5333206.62	25.000	13.000	12.000	40.000	37.000	-0.008
47523	379000.07	5333000.29	22.000	8.000	10.000	66.000	8.000	-0.008
47524	379025.56	5332999.77	39.000	13.000	15.000	70.000	20.000	-0.008
47526	379051.97	5333001.34	37.000	10.000	21.000	59.000	19.000	-0.008
47527	379078.62	5333000.81	441.000	47.000	9.000	78.000	23.000	-0.008
47528	379100.17	5333001.34	52.000	9.000	9.000	48.000	17.000	-0.008
47529	379126.12	5332999.77	22.000	16.000	8.000	39.000	26.000	-0.008
47530	379152.07	5332999.77	13.000	5.000	4.000	24.000	17.000	-0.008
47531	379178.48	5333000.81	54.000	24.000	30.000	207.000	94.000	-0.008
47532	379199.57	5333000.64	12.000	25.000	9.000	60.000	11.000	-0.008
47533	379223.43	5333001.16	60.000	37.000	25.000	178.000	13.000	-0.008
47534	379246.60	5333000.12	34.000	25.000	36.000	220.000	112.000	-0.008
47535	379276.73	5333001.51	65.000	16.000	31.000	109.000	54.000	-0.008
47536	379299.90	5333000.64	13.000	14.000	8.000	13.000	12.000	-0.008
47537	379326.77	5333001.16	32.000	56.000	25.000	75.000	50.000	-0.008
47538	379354.58	5333001.16	32.000	50.000	17.000	201.000	15.000	-0.008
47539	379378.21	5333000.64	16.000	24.000	20.000	22.000	33.000	-0.008
47540	379398.83	5333000.81	14.000	10.000	13.000	19.000	26.000	-0.008
47541	379425.02	5333000.81	11.000	10.000	16.000	25.000	29.000	-0.008
47542	379450.27	5333000.81	13.000	7.000	11.000	16.000	19.000	-0.008
47543	379476.46	5333001.16	10.000	-3.000	6.000	-5.000	18.000	-0.009
47544	379498.93	5333001.51	19.000	25.000	9.000	17.000	11.000	-0.008
47546	379523.26	5333002.03	25.000	10.000	9.000	16.000	26.000	-0.008
47547	379551.53	5333000.81	25.000	16.000	32.000	20.000	54.000	-0.008
47548	379577.94	5332999.94	32.000	36.000	25.000	42.000	36.000	-0.008
47549	379597.87	5333000.29	27.000	44.000	28.000	45.000	44.000	-0.008
47550	379621.97	5333000.99	60.000	41.000	46.000	86.000	99.000	-0.008
47551	379645.83	5333000.99	84.000	23.000	127.000	261.000	905.000	-0.008
47552	379669.47	5333000.99	95.000	17.000	93.000	208.000	785.000	-0.008
47553	379693.33	5332999.60	52.000	9.000	55.000	210.000	539.000	-0.008
47554	378973.42	5332998.38	24.000	8.000	9.000	51.000	43.000	-0.008
47555	378946.08	5332997.86	17.000	3.000	52.000	155.000	141.000	-0.008
47556	378922.45	5332996.81	18.000	4.000	11.000	26.000	12.000	-0.008
47557	378899.97	5332996.29	32.000	18.000	16.000	127.000	28.000	-0.008
47558	378876.34	5332995.42	11.000	-3.000	7.000	21.000	8.000	-0.008
47559	378849.92	5332993.86	49.000	21.000	25.000	198.000	44.000	-0.008
47560	378799.41	5332992.99	144.000	36.000	85.000	424.000	452.000	-0.008
47561	378777.63	5332990.90	35.000	24.000	26.000	197.000	40.000	-0.008
47562	378752.15	5332989.85	84.000	26.000	33.000	124.000	23.000	-0.008
47563	378725.73	5332988.98	60.000	25.000	82.000	231.000	194.000	-0.008
47564	378700.24	5332988.46	26.000	35.000	24.000	181.000	50.000	-0.008
47566	378674.29	5332987.94	46.000	48.000	28.000	231.000	66.000	-0.008
47567	378648.80	5332986.55	14.000	14.000	25.000	133.000	23.000	-0.008
47568	378622.16	5332984.98	8.000	5.000	15.000	53.000	30.000	-0.008
47569	378601.07	5332984.11	7.000	4.000	15.000	21.000	32.000	-0.008
47570	378578.37	5332983.07	36.000	10.000	17.000	124.000	19.000	-0.008
47571	378552.42	5332982.20	31.000	24.000	20.000	121.000	21.000	-0.008
47572	378529.01	5332981.16	15.000	15.000	20.000	118.000	17.000	-0.008
47573	378500.51	5332980.63	62.000	26.000	49.000	186.000	55.000	-0.008
47574	378475.95	5332980.63	27.000	34.000	63.000	115.000	3090.000	-0.008
47575	378450.93	5332977.33	43.000	34.000	50.000	128.000	84.900	-0.008
47576	378426.83	5332977.68	31.000	32.000	39.000	142.000	109.000	-0.008
47577	378402.27	5332975.76	38.000	35.000	29.000	131.000	42.000	-0.008
47578	378377.71	5332974.37	19.000	21.000	22.000	60.000	52.000	-0.008
47579	378351.30	5332973.33	22.000	24.000	32.000	104.000	54.000	-0.008
47580	378326.27	5332972.28	23.000	25.000	34.000	127.000	41.000	-0.008

Laboratory: ANALAB ANALAB ANALAB ANALAB ANALAB ANALAB
 Detection Limit: 5.000 5.000 5.000 5.000 3.000 0.008
 Method: GA140 GA140

Sample	True easting	True northing	Cu ppm ANALAB GA140	Pb ppm ANALAB GA140	Zn ppm ANALAB GA140	ANALAB V ppm GA140	ANALAB Mn ppm GA140	Au ppm ANALAB 309
47581	378302.17	5332971.94	28.000	15.000	25.000	133.000	28.000	-0.008
47582	378276.22	5332970.37	39.000	18.000	36.000	100.000	65.000	-0.008
47583	378252.36	5332969.50	23.000	25.000	35.000	140.000	52.000	-0.008
47584	378823.97	5332992.46	16.000	12.000	14.000	74.000	34.000	-0.008
47586	378950.72	5332799.72	92.000	39.000	101.000	171.000	168.000	-0.008
47587	378976.67	5332798.67	16.000	26.000	23.000	106.000	32.000	-0.008
47588	379000.30	5332796.76	13.000	26.000	46.000	90.000	156.000	-0.008
47589	379028.57	5332796.76	20.000	20.000	40.000	121.000	112.000	-0.008
47590	379053.59	5332795.19	7.000	12.000	10.000	16.000	27.000	-0.008
47591	379076.76	5332795.71	43.000	152.000	19.000	123.000	28.000	-0.008
47592	379098.78	5332796.24	34.000	75.000	23.000	201.000	61.000	-0.008
47593	379126.12	5332795.19	14.000	52.000	16.000	30.000	203.000	-0.008
47594	379151.60	5332796.24	14.000	31.000	19.000	47.000	50.000	-0.008
47595	379176.17	5332796.76	29.000	22.000	32.000	62.000	85.000	-0.008
47596	379197.48	5332795.02	28.000	87.000	11.000	89.000	20.000	0.032
47597	379220.19	5332795.02	10.000	3.000	11.000	101.000	21.000	-0.008
47598	379244.06	5332795.02	8.000	4.000	10.000	5.000	27.000	-0.008
47599	379272.09	5332794.50	6.000	-3.000	10.000	-5.000	23.000	-0.008
47600	379298.04	5332793.97	10.000	6.000	7.000	71.000	38.000	-0.008
47601	379325.85	5332793.10	142.000	63.000	34.000	350.000	123.000	-0.008
47602	379349.25	5332793.10	20.000	21.000	70.000	326.000	506.000	-0.008
47603	379375.66	5332792.58	23.000	21.000	33.000	360.000	239.000	-0.008
47604	379397.91	5332793.97	8.000	-3.000	7.000	22.000	22.000	-0.008
47606	379425.71	5332793.10	10.000	34.000	11.000	33.000	43.000	-0.008
47607	379449.11	5332792.58	10.000	14.000	11.000	17.000	19.000	-0.008
47608	379474.60	5332792.06	5.000	10.000	9.000	15.000	16.000	-0.008
47609	379496.38	5332791.71	4.000	12.000	7.000	23.000	13.000	0.017
47610	379522.10	5332792.23	15.000	20.000	21.000	126.000	196.000	-0.008
47611	379547.36	5332792.93	28.000	21.000	21.000	137.000	76.000	-0.008
47612	379574.23	5332792.93	102.000	18.000	32.000	214.000	101.000	-0.008
47613	379599.03	5332792.93	98.000	85.000	314.000	86.000	-0.008	-0.008
47614	379622.20	5332793.45	7.000	26.000	11.000	31.000	29.000	-0.008
47615	379647.92	5332792.23	20.000	30.000	14.000	86.000	26.000	-0.008
47616	379925.05	5332800.81	17.000	32.000	18.000	86.000	26.000	-0.008
47617	378900.20	5332802.15	16.000	26.000	14.000	102.000	18.000	-0.008
47618	378878.19	5332803.02	20.000	27.000	20.000	102.000	21.000	-0.008
47619	378853.86	5332802.67	46.000	26.000	35.000	134.000	49.000	-0.008
47620	378826.75	5332804.59	24.000	44.000	27.000	105.000	35.000	-0.008
47621	378801.27	5332805.63	29.000	16.000	18.000	117.000	24.000	-0.008
47622	378775.32	5332807.02	38.000	18.000	18.000	122.000	25.000	-0.008
47623	378751.22	5332809.46	31.000	20.000	23.000	131.000	27.000	-0.008
47624	378727.35	5332809.98	12.000	10.000	62.000	136.000	259.000	-0.008
47626	378701.87	5332811.37	31.000	40.000	53.000	128.000	51.000	-0.008
47627	378678.69	5332812.41	6.000	6.000	13.000	11.000	15.000	-0.008
47628	378655.29	5332814.33	7.000	16.000	30.000	98.000	46.000	-0.008
47629	378630.73	5332815.89	11.000	13.000	15.000	85.000	17.000	-0.008
47630	378602.70	5332817.29	26.000	15.000	21.000	115.000	29.000	-0.008
47631	378578.83	5332816.76	20.000	22.000	16.000	101.000	23.000	-0.008
47632	378555.66	5332816.42	25.000	22.000	22.000	95.000	35.000	-0.008
47633	378530.63	5332816.42	20.000	17.000	23.000	85.000	34.000	-0.008
47634	378505.61	5332818.85	11.000	17.000	39.000	89.000	216.000	-0.008
47635	378481.28	5332818.33	45.000	34.000	20.000	141.000	52.000	-0.008
47636	378455.33	5332818.85	64.000	40.000	30.000	354.000	56.000	-0.008
47637	378429.38	5332821.29	72.000	50.000	25.000	368.000	64.000	-0.008
47638	378385.12	5332821.81	21.000	16.000	34.000	53.000	46.000	-0.008
47639	378360.56	5332823.72	17.000	18.000	30.000	120.000	48.000	-0.008
47640	378334.61	5332824.77	15.000	21.000	32.000	151.000	52.000	-0.008
47641	378309.59	5332825.64	12.000	12.000	25.000	124.000	49.000	-0.008
47642	378287.11	5332826.68	13.000	18.000	20.000	56.000	34.000	-0.008
47643	378265.10	5332827.20	26.000	50.000	62.000	103.000	36.000	-0.008
47644	379520.71	5332576.35	32.000	16.000	25.000	113.000	59.000	-0.008
47646	379496.15	5332578.78	80.000	11.000	34.000	179.000	72.000	-0.008
47647	379470.20	5332580.70	81.000	-3.000	57.000	151.000	159.000	-0.008
47648	379446.10	5332581.39	112.000	11.000	45.000	189.000	84.000	-0.008
47649	379420.61	5332582.61	40.000	4.000	19.000	122.000	74.000	-0.008
47650	379395.59	5332584.18	74.000	10.000	36.000	208.000	267.000	-0.008
47651	379373.58	5332585.74	45.000	21.000	40.000	252.000	200.000	-0.008
47652	379351.10	5332586.09	101.000	29.000	64.000	360.000	654.000	-0.008
47653	379323.30	5332586.09	91.000	21.000	62.000	231.000	321.000	-0.008
47654	379297.35	5332586.79	29.000	21.000	39.000	313.000	154.000	-0.008
47655	379260.51	5332586.79	22.000	25.000	8.000	84.000	18.000	-0.008
47656	379238.26	5332587.31	30.000	31.000	9.000	35.000	11.000	-0.008
47657	379212.54	5332586.44	10.000	11.000	12.000	38.000	10.000	-0.008
47658	379190.30	5332588.18	15.000	48.000	9.000	47.000	11.000	-0.008
47659	379163.89	5332591.48	21.000	45.000	8.000	52.000	13.000	-0.008
47660	379139.79	5332592.35	21.000	24.000	14.000	26.000	19.000	-0.008
47661	379117.54	5332593.05	13.000	17.000	8.000	50.000	16.000	-0.008
47662	379098.08	5332594.79	14.000	37.000	41.000	63.000	92.000	-0.008


Laboratory: ANALAB
 Detection Limit: 5.000 ANALAB 5.000 ANALAB 5.000 ANALAB 5.000 ANALAB 3.000 ANALAB 0.008
 Method: ANALAB 5.000 ANALAB 3.000 ANALAB 0.008
 GA140 GA140

RGC Exploration Pty Ltd
 GEOCHEM Data Management System
 Project: TASMANIA

Page: 8
 23 May 95

Sample	True easting	True northing	Cu ppm ANALAB GA140	Pb ppm ANALAB GA140	Zn ppm ANALAB GA140	ANALAB V ppm GA140	ANALAB Mn ppm GA140	Au ppm ANALAB 309
47663	379072.59	5332596.70	41.000	53.000	26.000	160.000	43.000	-0.008
47664	379051.28	5332597.57	28.000	40.000	18.000	177.000	26.000	-0.008
47665	379026.25	5332598.44	15.000	18.000	14.000	81.000	14.000	-0.008
47666	379000.07	5332599.66	34.000	24.000	10.000	84.000	10.000	-0.008
47667								
47668	378928.94	5332598.96	16.000	15.000	18.000	118.000	25.000	-0.008
47669	378899.74	5332599.66	31.000	37.000	28.000	146.000	39.000	-0.008
47670	378877.27	5332599.49	38.000	17.000	19.000	132.000	25.000	-0.008
47671	378852.94	5332600.36	16.000	16.000	18.000	123.000	29.000	-0.008
47672	378828.38	5332599.83	34.000	21.000	22.000	126.000	39.000	-0.008
47673	378800.80	5332599.49	21.000	13.000	46.000	89.000	104.000	-0.008
47674	378776.47	5332600.36	40.000	36.000	36.000	122.000	165.000	-0.008
47675	378751.45	5332601.40	60.000	32.000	25.000	129.000	36.000	-0.008
47676	378727.82	5332601.40	33.000	19.000	13.000	130.000	24.000	-0.008
47677	378703.26	5332601.40	12.000	20.000	23.000	120.000	39.000	-0.008
47678	378682.40	5332600.88	28.000	19.000	18.000	120.000	27.000	-0.008
47679	378655.76	5332600.88	26.000	22.000	15.000	123.000	17.000	-0.008
47680	378630.27	5332599.83	31.000	25.000	18.000	128.000	45.000	-0.008
47681	378603.85	5332600.36	34.000	27.000	25.000	106.000	36.000	-0.008
47682	378581.84	5332600.36	26.000	33.000	19.000	109.000	23.000	-0.008
47683	378557.74	5332600.36	31.000	22.000	26.000	71.000	49.000	-0.008
47684	378532.26	5332600.88	27.000	31.000	32.000	67.000	396.000	-0.008
47685	378505.84	5332599.49	65.000	51.000	33.000	262.000	112.000	-0.008
47686	378481.75	5332599.49	109.000	45.000	46.000	396.000	774.000	-0.008
47687	378455.79	5332600.36	96.000	49.000	27.000	525.000	279.000	0.015
47688	378429.84	5332600.88	67.000	26.000	33.000	231.000	56.000	-0.008
47689	378405.75	5332601.92	52.000	57.000	28.000	194.000	38.000	-0.008
47690	378386.28	5332601.92	69.000	150.000	38.000	231.000	67.000	-0.008
47691	378362.65	5332601.92	47.000	65.000	22.000	123.000	33.000	-0.008
47692	378336.70	5332602.44	39.000	50.000	15.000	110.000	29.000	-0.008
47693	378308.20	5332602.44	41.000	67.000	32.000	66.000	42.000	-0.008
47694	378283.64	5332602.44	19.000	23.000	17.000	53.000	23.000	-0.008
47695	378262.09	5332601.92	32.000	43.000	22.000	65.000	26.000	-0.008

Laboratory:	ANALAB	ANALAB	ANALAB	ANALAB	ANALAB	ANALAB
Detection Limit:	5.000	5.000	5.000	5.000	3.000	0.008
Method:				GA140	GA140	




LEGEND

- Qpg QUATERNARY GLACIAL DEPOSIT
- S-D SILURO-DEVONIAN ELDON GROUP
- CAMBRIAN - YOLANDE RIVER SEQUENCE**
- Ea HORNBLENDE-FELDSPAR PHYRIC ANDESITE
- Eysa INTERBEDDED ANDESITE AND VOLCANICLASTIC SEDIMENTS
- Eys PREDOMINANTLY FELDSPAR PHYRIC VOLCANICLASTIC SEDIMENTS (rare Qtz-feldspar rich units)
- Eyss BLACK SILTSTONE
- Eyg MICAEOUS GREYWACKE AND SILTSTONE
- Ep QUARTZ PORPHYRY
- CAMBRIAN? - CENTRAL VOLCANIC SEQUENCE**
- Efl FELDSPAR PHYRIC LAVA
- Ecv FELDSPAR PHYRIC-PUMICE BEARING VOLCANICLASTIC SEDIMENTS
- CAMBRIAN? - MINERS RIDGE SEQUENCE**
- Emrs QUARTZ SANDSTONE
- Emr MICAEOUS SILTSTONE, BLACK SHALE
- Emrb THOLEIITIC BASALT
- GEOLOGICAL BOUNDARY
- FAULT
- BEDDING
- CLEAVAGE
- COMPOSITIONAL BANDING / FLOW BANDING


95-3732
95-3732
 TAS BASE METALS PROJECT EL 294
 QUEEN RIVER IVOL RGC
 VICARY, M.J. CORLETT, S

E.L. 2/94

RGC EXPLORATION PTY. LIMITED		
 GEOLOGIST: M. VICARY DRAWN: M. WALTER DATE: MAY 1995 CHECKED: 1:25000 REF.	MINERS RIDGE PROSPECT E.L. 2/94 GEOLOGICAL INTERPRETATION SCALE 1:5000	PLAN 1



RGX EXPLORATION PTY. LIMITED		QUEEN RIVER PROSPECT E.L. 2/94	
	GEOLOGIST M.VICARY		FACT. GEOLOGY
	DRAWN M.WALTER		
	DATE JAN. 1998		
	CHECKED		
DRAWING ID: 2314/002			
FILENAME: QUEENR		SCALE 1:5000	



95-3132

PROCESSING BY:

TESLA-10

JOB TA2175 796028

RGC EXPLORATION PTY LTD

JUKES - DARWIN
HELIMAG GEOPHYSICAL SURVEY
TOTAL MAGNETIC INTENSITY
CONTOURS

SHEET 2 OF 2

Drawn: TESLA-10


Scale 1:25000

DATE: FEB 1995

Drawing No.

AIRBORNE SPECIFICATIONS

Acquisition Universal Tracking Systems
Aircraft Aerospatiale Squirrel AS350
Magnetometer CS2 Caesium Vapour
Sensitivity Resolution 0.001 nT
Recording Interval 0.10 seconds (3.5 metres)
Compensation RMS Automatic Aeromagnetic
Digital Compensator
operating in real time
Flight Line Direction East-West
Flight Line Separation 100 metres
Tie Line Direction North-South
Tie Line Separation 1000 metres
Mean Terrain Clearance 30 metres (MTC)
Navigation Real Time Differential GPS
Survey Flow February 1995
(UTS Job No.: A046)



AUSTRALIAN MAP GRID ZONE 55
AUSTRALIAN GEODETIC DATUM 1984


PROCESSING DETAILS


Diurnally corrected - nominal base level 62260 nT
System parallax removed
Data levelled using enhanced levelling technique
Grid cell size 25m x 25m

LEGEND

Contour interval: 2 nanoTesla
 ——— 2000 nT Contours
 ——— 200 nT Contours
 ——— 10 nT Contours
 ——— 2 nT Contours

SHEET LAYOUT





LEGEND
 ●44735 SCIL SAMPLE LOCATION
 +46313 ROCKCHIP SAMPLE LOCATION

95-3732

TAS BASE METALS PROJECT E.L. 2/94
 QUEEN RIVER IVOL RGC
 VICARY, M.J. CORLETT, S

RGC EXPLORATION PTY. LIMITED		MINERS RIDGE PROSPECT E.L. 2/94	
GEOLOGIST M. VICARY	DRAWN M. WALTER	SAMPLE LOCATION PLAN  SCALE 1:5000	
DATE SEPT. 1994	CHECKED		
1:25000 REF.	FILENAME QUEENR		
			
DRAWING ID: 2314/001		SCALE 1:5000	
PLAN 4			

95-3732