

ANALABS

Division of Analytical Services (Australia) Pty Ltd
A.C.N. 004 591 664

211022

ANALYTICAL DATA

SAMPLE PREFIX

REPORT No

REPORT DATE

CLIENT ORDER No.

PAGE

109555.60.09892

13/01/94

PX 0468

2 OF 2

TUBE No.	SAMPLE No.	Totwt	-16Wt	Au	Ag	As				
1	1270 -16#	7574.0	1667.5	0.70	0.069	-				
2	1272 -16#	3692.0	780.08	1.11	0.127	-				
3	1274 -16#	5931.0	694.44	3.31	0.127	-				
4	1276 -16#	4893.9	794.88	1.40	0.063	-				
5	1278 -16#	5557.1	948.14	0.59	0.061	-				
6	1280 -16#	3931.0	947.26	0.88	0.097	-				
7	1282 -16#	2396.8	326.28	2.37	0.193	-				
8	1284 -16#	4137.3	799.94	4.09	0.110	-				
9	1286 -16#	3190.8	944.64	1.19	0.062	-				
10	1288 -16#	5945.0	1369.3	98.20	<0.010	-				
11	1290 -16#	6582.0	1087.0	88.90	0.127	-				
12	1292 -16#	5510.0	917.62	54.40	0.111	-				
13	1294 -16#	7692.3	5063.1	0.08	0.039	-				
14	1296 -16#	5760.1	4956.6	0.12	0.032	-				
15	1298 -16#	4043.0	1108.8	0.29	0.105	-				
16	1300 -16#	5923.4	5017.3	0.28	0.060	-				
17	1308 -16#	5123.0	1040.2	0.77	0.056	-				
18										
19										
20										
21										
22										
23	DETECTION	0.01	0.01	0.05	0.010	1				
24	UNITS	g	g	ppb	ppm	ppm				
25	METHOD	GP007	GP007	GG341	GG341	HA101				

Results in ppm unless otherwise specified
 T = element present, but concentration too low to measure
 X = element concentration is below detection limit
 - = element not determined

AUTHORISED OFFICER

