




TASMANIA
1:25 000
SERIES

5 cm



1158 P/M 9 ha
MARLOU PTY. LTD.
48/19 ss

1849 P/M 208 ha
BORAL CONSTRUCTION MATERIALS GROUP LIMITED

559 P/M 4 ha
VAN DIEMAN PISTOL CLUB INC.
M.L. 265/32

595 P/M 20
BORAL CONSTRUCTION MATERIALS GROUP LIMITED
253/39

669 P/M 15
TAS. PERM. EXEC. & TRUSTEES ASSOC. LTD.
& A.J. Green M.L.
257/17

948 P/M 4 ha
SHAW CONTRACTING PTY. LTD.
M.L.
264/15

569 P/M 1 ha
M.L.
253/9

570 P/M 50
M.L.
253/10

SEE P.788 KEY PLAN
for subdivisions




LAUNCESTON
5041

PRODUCTION: Mapping Division, Lands Department, Hobart, 1981.
ACCURACY: Horizontal, 90% of well defined detail is within 12.5 metres of true position. Vertical, 90% of elevations are within 5 metres. These accuracies may not be achieved in areas of dense vegetation.
RELIABILITY: Topographic detail compiled from aerial photography from 1976 with field verification 1977.
PUBLICITY: Topographic names have been approved by the Nomenclature Board of Tasmania.
PUBLIC RIGHT OF WAY: Roads or tracks on this map do not necessarily indicate a public right of way.
To assist in correcting future editions of this map, users noting errors and omissions are invited to write to the Director of Mapping, GPO Box 44A, Hobart, Tasmania, 7001.
© TASMANIAN GOVERNMENT


PROJECTION: Universal Transverse Mercator (UTM).
HORIZONTAL DATUM: Australian Geodetic Datum 1986.
VERTICAL DATUM: Australian Height Datum (Tasmania) excepting offshore islands whose datum is mean sea level.
GRID: 1000 metre intervals of the Universal Transverse Mercator Grid, Zone 55 (Australian Map Grid). Australian National Spheroid. Grid values are shown in full at the south west corner of the map. CONTOUR INTERVAL: 10 metres with 50 metre index contours.
WORLD GEODETIC SYSTEM 1972: To convert co-ordinates from this system to Australian Geodetic Datum 1986, increase the value of latitudes by 5.2" and decrease the value of longitudes by 4.3". To obtain heights decrease spheroid heights by 13.00 metres.
MAGNETIC VARIATION: True, Grid and Magnetic North are shown diagrammatically for the centre of this map. Magnetic North is correct for 1980 and moves westerly about 0.1" every three years.

Map symbols legend table including: Built-up area with commercial centre, Roads maintained for continuous public use, Roads of restricted use or access, Walking track, Bridge, Railway, Station, Light railway, Power transmission line and pylon positions, Building, Feature of special interest, Post office, Police station, Fire station, School, Caravan park, Camping ground, Rubbish disposal area, Cemetery, Triangulation station, Spot elevation, Contour with value, Depression contour, Quarry or open cut, Embankment, Broken rocky surface, Dense forest, Medium forest, Low dense vegetation, Distinctive grass, Orchard, Pine plantation, Windbreak, Swamp, Land subject to flooding, Waterfall, Rapids, Indefinite shoreline or floodbank, Levee, Tidal rocks or ledge, Offshore rock, Lighthouse, Exposed wreck, Sand, Tidal flat, Saline coastal flat, Tidal flats, Jetty, Launching ramp.



BOUNDARIES shown on this map are NOT authoritative. For full particulars please consult the Registrar-General's Department or Lands Department. Property boundaries are shown as at February 1980, areas within proclaimed towns or less than two hectares are not depicted. To give a property reference, prefix property number with municipality number.

Municipality name	LILYDALE
Municipality number	55
Word boundary	JETSON
Ward boundary	
Town boundary	
Reserve boundary	
Property boundary and number	0413



UNIVERSAL GRID REFERENCE table showing grid coordinates and identification methods.

