

TUNBRIDGE 5233 EDITION 1 1992



For information about this map and mapping enquiries, contact the Director of Mapping, Department of Environment and Planning, GPO Box 44A, Hobart, Tasmania, 7001.

Table with 2 columns: SHEET NUMBER, SHEET NUMBER. Rows include PENNY 5034, ELINTHORP 5234, ROSS 5434, INTERLAKEN 5233, TUNBRIDGE 5233, MORRISTON 5433, TABLE 5032, VINCENTS 5232, FADDENS 5432.

INDEX TO ADJOINING SHEETS

This highly detailed topographic map shows towns and villages, roads, railways, rivers, creeks, waterfalls, and other features. It is suitable for navigation and general reference.


Map of Tasmania showing the location of the Tunbridge area.

TUNBRIDGE 5233 EDITION 1

TUNBRIDGE 5233 EDITION 1 1992

5 cm

TASMANIA 1:25 000 SERIES




TASMAP publication
PRODUCTION: Mapping Division, Department of Environment and Planning, Hobart, 1992.
ACCURACY: Horizontal: Not less than 90% of points of well defined detail are within 12.5 metres of their true positions at map scale.
VERTICAL: Not less than 90% of elevations are within 5 metres of their true elevation. This accuracy may not be achieved in areas of dense vegetation.
RELIABILITY: The information content of this map has been determined from aerial photography taken in Dec 1981 and verified by field inspection undertaken in Apr 1980. It contains as far as possible information appropriate to the scale, the geographical locality, and the general purpose of this map.
NOMENCLATURE: Place names have been approved by the Nomenclature Board of Tasmania.
PUBLIC RIGHT OF WAY: Roads on this map do not necessarily indicate a public right of way.
REVISION: A five yearly revision cycle is intended for this series. Users relying on roads and boundaries are invited to write to the Director of Mapping, GPO Box 44A, Hobart, Tasmania, 7001.
© TASMANIAN GOVERNMENT 1992

- PROJECTION: Universal Transverse Mercator (UTM)
HORIZONTAL DATUM: Australian Height Datum (Tasmanian) excepting certain islands whose datum is mean sea level.
GRID: 1000 metre intervals of the Universal Transverse Mercator Grid, Zone 55, Australian Map Grid, Australian National Spheroid. Grid values are shown in full at the south west corner of the map.
CONTOUR INTERVAL: 10 metres with 50 metres index contours.
WORLD GEODETIC SYSTEM 1972: To convert co-ordinates from this system to Australian Geodesic Datum 1966, increase the value of longitude by 5.2, equivalent to 83 metres, and decrease the value of latitude by 4.5, equivalent to 89 metres. To obtain heights increase sea level heights by 4 metres.
MAGNETIC VARIATION: True, Grid and Magnetic North are shown diagrammatically for the centre of the map. Magnetic North is correct for 1982 and moves easterly about 0.1" every two years.

- Residential area, Commercial buildings
Roads maintained for continuous public use
Roads of restricted use or access
Walking track, horse trail (approximate position) with bridge
Railway with station: Places entered in National Estate Register
Power transmission line with pylon towers
Building: Features of historic or special interest; Ruin; Mine
Post office, Police station; Fire station; School

- Swamp, perennial, intermittent
Wetland
Wet area: Subject to flooding
Waterfall, Rapids
Indefinite shoreline or floodbank; Levee
Tidal rocks or ledge; Offshore rock
Navigation light or lighttower; Exposed wreck
Sand, tidal reef
Saline coastal flat; Tidal flats
Jelly; Launching ramp



UNIVERSAL GRID REFERENCE table with columns for GRID ZONE DESIGNATION, 100 000 METRE SQUARE IDENTIFICATION, and EASTING.

